

## СПИСЪК

на откритите цитирания в достъпната литература на гл. асистент д-р  
Васил Георгиев Георгиев

Списъкът съдържа откритите цитирания (без автоцитирания) в реферирани издания и дисертации (използвани бази данни: Scopus, CrossRef, Science Direct, Web of Knowledge, Google Scholar) към месец Май 2016 година.

**Pavlov A., Kovatcheva P., Georgiev V., Koleva I., Pleva M. 2002. Biosynthesis and radical scavenging activity of betalains during the cultivation of red beet (*Beta vulgaris*) hairy root cultures, *Zeitschrift fuer Naturforschung*, 57c, 640-644.**

## ЦИТИРАНА В:

- Galati, E.M., Mondello, M.R., Giuffrida, D., Dugo, G., Miceli, N., Pergolizzi, S., Taviano, M.F. (2003). Chemical characterization and biological effects of sicilian *Opuntia ficus indica* (L.) Mill. fruit juice: Antioxidant and antiulcerogenic activity. *Journal of Agricultural and Food Chemistry*, 51(17): 4903-4908.
- Siriwardhana, N., Jeon, Y.J. (2004). Antioxidative effect of cactus pear fruit (*Opuntia ficus-indica*) extract on lipid peroxidation inhibition in oils and emulsion model systems. *European Food Research and Technology*, 219 (4): 369-376.
- Stintzing, F.C., Carle, R. (2004). Functional properties of anthocyanins and betalains in plants, food, and in human nutrition. *Trends in Food Science and Technology*, 15 (1): 19-38.
- Lila, M.A. (2004). Plant pigments and human health. In: Kevin Davies, ed.: Plant pigments and their manipulation. *CRC Press/Blackwell Publishing, Oxford, U.K.* ISBN 0849323509, pp. 248-274.
- Beet *Beta vulgaris*, family: *Chenopodiaceae*, in: Healthy Ingredients, *American Botanical Council*, 6200 Manor Rd, Austin, TX 78723, Online: <http://content.herbalgram.org/youngliving/hmbc/default.asp?h=Beet>
- Gliszczyńska-Świągło, A., Szymusiak, H., Malinowska, P. (2006). Betanin, the main pigment of red beet: Molecular origin of its exceptionally high free radical-scavenging activity. *Food Additives and Contaminants*, 23(11): 1079-1087.
- Marxen, K. (2006). The physiostat: Feed-back controlled cultivation of microorganisms implemented for UVB radiation-influenced fluorescence kinetics in a photobioreactor for enhanced production of active agents in *Synechocystis* sp. PCC 6803. *Dissertation zur Erlangung des Doktorgrades der Mathematisch-Naturwissenschaftlichen Fakultät der Christian-Albrechts-Universität zu Kiel*.
- Seijas-Bernabé P., Seijas-Velásquez, S. (2006). Antocianic and betalamic pigments as chemopreventive against cancer advances, perspectives and new obtaining sources. *Sciencio: ciencia para el desarrollo*, 9(1):135-146. <http://www.scribd.com/doc/46895725/Re-Vista-Sci-en-Do>
- Tepe, B. (2006). Rozmarinic asit in *Satureja hortensis* L. kallus kulturlerinde uretimi ve optimizasyonu. *Doktora Tezi, Biyoloji anabilim dali, T.C. Cumhuriyet Universitesi Fen Bilimleri Enstitüsü*. <http://www.belgeler.com/blg/lya/rozmarinik-asitin-satureja-hortensis-l-kallus-kulturlerinde-uretimi-ve-optimizasyonu-production-and-optimization-of-the-rosmarinic-acid-by-satureja-hortensis-l-callus-cultures#>

10. Ninfali, P., Bacchiocca, M., Antonelli, A., Biagiotti, E., Di Gioacchino, A.M., Piccoli, G., Stocchi, V., Brandi, G. (2007). Characterization and biological activity of the main flavonoids from Swiss Chard (*Beta vulgaris* subspecies *cycla*). *Phytomedicine*, 14 (2-3): 216-221.
11. Marxen, K., Vanselow, K.H., Lippemeier, S., Hintze, R., Ruser, A., Hansen, U.-P. (2007). Determination of DPPH radical oxidation caused by methanolic extracts of some microalgal species by linear regression analysis of spectrophotometric measurements. *Sensors*, 7: 2080-2095.
12. Tepe, B., Sokmen, A. (2007). Production and optimisation of rosmarinic acid by *Satureja hortensis* L. callus cultures. *Natural Product Research*, 21 (13): 1133-1144.
13. Evidence-based review system for the scientific justification of diet and health relationships under Article 13.1 of the new European legislation on nutrition and health claims. IFIS Food Science and Technology Bulletin. 3(8): 83-97, 2007. <http://www.erna.org/Industry-article-13-list.aspx>
14. Matkowski, A. (2008). Plant *in vitro* culture for the production of antioxidants - A review. *Biotechnology Advances*, 26 (6), 548-560.
15. Azeredo, H.M.C. (2008). Betalains: properties, sources, applications, and stability – a review. *International Journal of Food Science and Technology*, 44(12): 2365-2376
16. Şahin Başak, S., Candan, F. (2008). *Lallemantia canescens* (L) Fisch & Mey bitkisinin ve kallus doku kültürünün antioksidan aktivitesi. *İTÜ Dergisi/c Fen Bilimleri Cilt: 6, Sayı: 1*, 14-26.
17. Salama, M.F., Amin, A.A., Moharram, H.A. (2008). Relationship between antioxidant activities and red table beet root pigments with a potential application as a natural juice blend. *Alexandria Journal for Food Science and Technology*, Special Volume Conference: 1-6.
18. Gao, Z.J., Han, X.H., Xiao, X.G. (2009). Purification and characterisation of polyphenol oxidase from red swiss chard (*beta vulgaris* subspecies *cicla*) leaves. *Food Chemistry*, 117(2): 342-348
19. Gandía-Herrero, F., Escribano, J., García-Carmona, F. (2009). The role of phenolic hydroxy groups in the free radical scavenging activity of betalains. *Journal of Natural Products*, 72(6): 1142-1146.
20. Jiang, Y., Wu, T. (2009). Research progress on hairy root and its application. *Journal of Agricultural Science and Technology*, 11(1): 27-32.
21. Maruno, M. (2009). Development of sesame indicum oil-based nanoemulsions additived with rubus idaeus oil to skin burn. *Doctoral Thesis. Faculdade de Ciencias Farmaceuticas de Ribeirao Preto – Universidade de Sao Paulo, Ribeirao Preto*
22. Gandía-Herrero, F., Escribano, J., García-Carmona, F. (2010). Structural implications on color, fluorescence, and antiradical activity in betalains. *Planta*, 232(2): 449-460.
23. Gandía-Herrero, F., Jimnez-Atinzar, M., Cabanes, J., García-Carmona, F., Escribano, J. (2010). Stabilization of the bioactive pigment of *Opuntia* fruits through maltodextrin encapsulation. *Journal of Agricultural and Food Chemistry*, 58 (19): 10646–10652. DOI: 10.1021/jf101695f.
24. Hayakawa, K., Agarie, S. (2010). Physiological Roles of Betacyanin in a halophyte, *Suaeda japonica* Makino. *Plant Production Science*, 13(4): 351-359.
25. Jiang, Y. (2010). Soybean flavanone 3-hydroxylase gene f3hRNA interference-based functional verification vectors and soybean flavanone 3-hydroxylase gene f3hRNA interfering vectors and functional validation. *Thesis, Shanghai Jiao Tong University*. <http://wenku.baidu.com/view/ff1e481614791711cc791708.html>
26. Savatović, S., Vulić, J., Tepić, A., Šumić, Z. (2010). Ispitivanje hemijskog sastava i antioksidativnog djelovanja ekstrakata tropa cvekle. *Technologica Acta*, 3(1): 41-48.
27. Uses of Beetroot - <http://www.drugs.com/npp/beetroot.html>, 2010.
28. Wybraniec, S., Michałowski, T., (2011). New Pathways of betanidin and betanin enzymatic oxidation. *Journal of Agricultural and Food Chemistry*, 59: 9612-9622.

29. Marinova, G., Batchvarov, V. (2011). Evaluation of the methods for determination of the free radical scavenging activity by DPPH. *Bulgarian Journal of Agricultural Science*, 17 (1): 11-24.
30. Sheeded, N.A., Salama, M.F., Moharram, H.A., Shams El-Din, M.H. (2011). Utilization of some pigments recovered from different food vegetable processing wastes. *Modelling, Measurement and Control C*, 72 (1): 38-50.
31. Vulić, J., Čanadanović-Bruneta, J., Četkovića, G., Tumbasa, V., Djilasa, S., Četojević-Siminb, D., Čanadanovićc, V. (2012). Antioxidant and cell growth activities of beet root pomace extracts. *Journal of Functional Foods*, 4 (3): 670–678. ISSN: 1756-4646
32. Gandía-Herrero, F., García-Carmona, F. (2012). Characterization of recombinant Beta vulgaris 4,5-DOPA-extradiol-dioxygenase active in the biosynthesis of betalains. *Planta*, 236: 91-100, ISSN: 0032-0935
33. Vulić, J. (2012). Functional and antioxidant characteristics of beetroot pomace (Beta vulgaris). PhD Thesis, University of Novi Sad, Faculty of Technology, Novi Sad, Serbia.
34. Neelwarne, B., Rudrappa, T. (2012). Peroxidases and other enzymes from red beet hairy roots. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 283-333.
35. Neelwarne, B. (2012). Red beet hairy root cultures. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 199-249.
36. Neelwarne, B., Halagur, S.B. (2012). Red beet: An overview. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 1-43.
37. Gandía-Herrero, F., Escribano, J., García-Carmona, F. (2012). Purification and antiradical properties of the structural unit of betalains. *Journal of Natural Products*, 75 (6): 1030-1036, ISSN: 0163-3864
38. Mastuti, R. (2012). Role of in vitro system as continuous betalain sources. *Proceedings of 2<sup>nd</sup> Basic Science International Conference (BaSIC) 2012; Makalah Seminar Internasional*, Malang, East Java, Indonesia <http://retnomastutibiologi.lecture.ub.ac.id/files/2012/06/paper-BaSic-2012-18-Feb.pdf>
39. Momen Heravi, M., Haghi, B., Morsali, A., Ardalan, P., Ardalan, T. (2012). Kinetic study of DPPH scavenging in the presence of mixture of Zinc and Vitamin C as an antioxidant. *Journal of Chemical Health Risks*, 2 (2): 43-50. ISSN: 2251-67727
40. Yang, H., Gao, Shuai., Wang, H. (2012). Research prospect on hairy root culture of medicinal herbs. *Guangdong Forestry Science and Technology*, 28(5): 67-73.
41. Zalan, Z., Halasz, A., Barath, A. (2012). Fermented red beet juice. In: *Handbook of Plant-Based Fermented Food and Beverage Technology*, Second Edition, (Hui , Y.H. ed.). CRC Press, USA, ISBN: 978-1-4398-4904-0, pp: 373-383.
42. Starzak, K., Skopińska, A., Wybraniec, S. (2012). Research on betanidin oxidation by ABTS radicals. *Challenges of modern technology*, 3(4): 8. ISSN: 2082-2863
43. Lenk F., Vogel M., Bley Th., Steingroewer J. (2012). Automatic image recognition to determine morphological development and secondary metabolite accumulation in hairy root networks. *Engineering in Life Sciences*, 12(6): 588–594.
44. Slavov A., Karagyozev V., Denev P., Kratchanova M., Kratchanov C. (2013). Antioxidant activity of red beet juices obtained after microwave and thermal pretreatments. *Czech Journal of Food Sciences*. 31 (2): 139 – 147.
45. Sharma, S., Shahzad, A., Sahai, A. (2013). Hairy root culture: An efficient system for secondary metabolite production. In: *Recent Trends in Biotechnology and Therapeutic Applications of Medicinal Plants*, pp. 51-78. Springer Netherlands, ISBN 978-94-007-6602-0.
46. Wybraniec, S., Starzak, K., Skopińska, A., Nemzer, B., Pietrkowski, Z., Michałowski, T. (2013). Studies on nonenzymatic oxidation mechanisms in neobetanin, betanin, and decarboxylated betanins. *Journal of Agricultural and Food Chemistry*, 61: 6465-6476. DOI: 10.1021/jf400818s

47. Vulić, J. J., Čebović, T. N., Čanadanović-Brunet, J. M., Četković, G. S., Čanadanović, V. M., Djilas, S. M., Tumbas Šaponjac, V. T. (2014). In vivo and in vitro antioxidant effects of beetroot pomace extracts. *Journal of Functional Foods*, 6, 168-175. DOI: 10.1016/j.jff.2013.10.003
48. Agudelo-Romero, P., Ali, K., Choi, Y. H., Sousa, L., Verpoorte, R., Tiburcio, A. F., Fortes, A. M. (2014). Perturbation of polyamine catabolism affects grape ripening of *Vitis vinifera* cv. Trincadeira. *Plant Physiology and Biochemistry*, 74, 141-155. DOI: 10.1016/j.plaphy.2013.11.002
49. Gandía-Herrero, F., Escribano, J., & García-Carmona, F. (2014). Biological Activities of Plant Pigments Betalains. *Critical reviews in food science and nutrition*, DOI:10.1080/10408398.2012.740103.
50. Lim, C. K., Tiong, W. N., & Loo, J. L. (2014). Antioxidant activity and total phenolic content of different varieties of *Portulaca grandiflora*. *International Journal of Phytopharmacy*, 4(1), 01-05.
51. Neagu, C., & Barbu, V. (2014). Principal component analysis of the factors involved in the extraction of beetroot betalains. *Journal of Agroalimentary Processes and Technologies*, 20(4), 311-318.
52. Starzak, K., Skopińska, A., Szot, D., Wybraniec, S. (2014). Mass spectrometric detection of products of decarboxy-betanins UV-irradiation. *Challenges of Modern Technology*, 5(3): 22-26.
53. Дударева, Л. В., Колесникова, Е. В., Возненко, А. Н., Макарова, Л. Е., Озолина, Н. В. (2014). Антиоксидантные свойства фенолсодержащих экстрактов из вакуолярного сока стволовой свеклы (*Beta vulgaris* L.) после кислотного гидролиза. *Химия растительного сырья*, (3).
54. Muñoz, R. C. (2014). Efecto del secado por aspersión en la estabilidad de componentes bioactivos de tuna morada (*Opuntia ficus-indica*). *Maestro en ciencias en bioprocesos*. Instituto Politecnico National, México, Distrito Federal
55. Castro-Muñoz, R., Barragán-Huerta, B. E., Yáñez-Fernández, J. (2015). Use of gelatin-maltodextrin composite as an encapsulation support for clarified juice from purple cactus pear (*Opuntia stricta*). *LWT-Food Science and Technology*, 62(1), 242-248.
56. Holásková, E., Galuszka, P., Frébort, I., Öz, M. T. (2015). Antimicrobial peptide production and plant-based expression systems for medical and agricultural biotechnology. *Biotechnology advances*. doi:10.1016/j.biotechadv.2015.03.007
57. Sivasakthi, M. and Sangeetha, N. (2015). A Comparative Study of the Physico-Chemical Characteristics of the Ready-to Eat Coconut Based Snack. *J Food Process Technol*, 6(489), p.2.
58. Zein, H., Hashish, A. E. M. S., Ismaiel, G. H. (2015). The antioxidant and Anticancer Activities of Swiss Chard and Red Beetroot Leaves. *Current Science International*. 4(4): 491-498. ISSN 2077-4435
59. Perianu, E., Pauliuc, M., Rau, I. Iosub, I., (2015). Spectral characterisation of some materials based on natural extracts: Topic title (s): Biomaterials. In *E-Health and Bioengineering Conference (EHB)*, 2015 (pp. 1-4)
60. Lim, T.K., (2016). *Beta vulgaris*. In *Edible Medicinal and Non-Medicinal Plants* (pp. 26-68). Springer Netherlands.
61. Clifford, T., Constantinou, C.M., Keane, K.M., West, D.J., Howatson, G. Stevenson, E.J., (2016). The plasma bioavailability of nitrate and betanin from *Beta vulgaris rubra* in humans. *European journal of nutrition*, pp.1-10.

**Pavlov A., Georgiev V., Kovatcheva P. 2003. Relationship between type and age of the inoculum cultures and betalains biosynthesis by *Beta vulgaris* hairy root culture. *Biotechnology Letters*, 25 (4): 307-309.**

## ЦИТИРАНА В:

62. Jeong, G., Park, D., Ryu, H., Hwang, B., Woo, J. (2004). Effects of inoculum conditions on growth of hairy roots of *Panax ginseng* C.A. Meyer. *Applied Biochemistry and Biotechnology. Part A. Enzyme Engineering and Biotechnology*, 116(1-3): 1193-1203.
63. Jiang, S., Wei, M., Luo, J. (2006). Effect of phosphate on cell growth and polysaccharide production by suspension cultures of *Protocorm*-like bodies of *Dendrobium huoshanense*. *Chinese Journal of Biotechnology*. 22(4): 613-617.
64. Jha, S. (2007). Genetic transformation for production of secondary metabolites. In: "Biotechnology: Secondary Metabolites Plants and Microbes" (K.G. Ramawat and J.M. Merillon eds.), CRC Press, Taylor & Francis, Boca Raton, Florida, USA, 297-334. ISBN: 978-1-4398-4299-7
65. Moreno, D.A., Garcia-Viguera, C., Gil, J.I., Gil-Izquierdo, A. (2008). Betalains in the era of global agri-food science, technology and nutritional health. *Phytochemistry Reviews*, 7(2): 261-280.
66. Ming, W., Chaoying, Y., Shaotong, J., Jianping, L. (2008). Effect of subculture cycle on kinetics of suspension cultures of protocorm-like bodies from *Dendrobium huoshanense*. *Chinese Agricultural Science*, 24(9): 43-47.
67. Nagella, P., Chung, I-M, Murthy, H.N. (2011) In vitro production of gymnemic acid from cell suspension cultures of *Gymnema sylvestre* R. Br. *Engineering in Life Sciences*, doi:10.1002/elsc.201000167
68. Li, R., Wang, L., Chen, Q., Fan, J.R. (2011) Tissue culture and rapid cloning propagation of *Dendrobium huoshanense*. *Pharmaceutical Biotechnology*, 18 (1):11-15.
69. Bołonkowska, O., Pietrosiuk, A., Sykłowska-Baranek, K. (2011). Roślinne związki barwne i ich właściwości biologiczne oraz możliwości wytwarzania w kulturach in vitro. *Biul. Wydz. Farm. WUM*, 1: 1-27 <http://biuletynfarmacji.wum.edu.pl/>
70. Neelwarne, B. (2012). Red beet hairy root cultures. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 199-249.
71. Sivanandhan, G., Dev, G. K., Jeyaraj, M., Rajesh, M., Arjunan, A., Muthuselvam, M., Manickavasagam, M., Selvaraj, N., Ganapathi, A. (2013). Increased production of withanolide A, withanone, and withaferin A in hairy root cultures of *Withania somnifera* (L.) Dunal elicited with methyl jasmonate and salicylic acid. *Plant Cell, Tissue and Organ Culture*, 114: 121–129. DOI 10.1007/s11240-013-0297-z
72. Sharma, S., Shahzad, A., Sahai, A. (2013). Hairy root culture: An efficient system for secondary metabolite production. In: *Recent Trends in Biotechnology and Therapeutic Applications of Medicinal Plants*, pp. 51-78. Springer Netherlands, ISBN 978-94-007-6602-0.
73. de Aguiar Lage, D., da Silva Tirado, M., Vanicore, S. R., de Carvalho Sabino, K. C., Albarello, N. (2015). Production of betalains from callus and cell suspension cultures of *Pereskia aculeata* Miller, an unconventional leafy vegetable. *Plant Cell, Tissue and Organ Culture*, 1-10. DOI 10.1007/s11240-015-0771-x
74. Gonçalves L.C.P., Marcato A.C., Rodrigues A.C.B., Pagano A.P.E., De Freitas B.C., De Machado C.O., Nakashima K.K., Esteves L.C., Lopes N.B., Bastos E.L. Betalains: From the colors of beetroots to the fluorescence of flowers. *Revista Virtual de Química*. 7(1): 292 – 309, 2015.
75. Lim, T.K., (2016). *Beta vulgaris*. In *Edible Medicinal and Non-Medicinal Plants* (pp. 26-68). Springer Netherlands.

**Berkov S., Pavlov A., Georgiev V., Stanimirova P., Kovacheva P., Philipov S. 2005. Alkaloid Spectra of diploid and tetraploid plants and transgenic root cultures of *Datura stramonium*. *Annuaire de l'Universite de Sofia "St. Kliment Ohridski"*, 96(4): 95-98.**

**ЦИТИРАНА В:**

76. Arévalo-García, E.B., Colmenares, J.C.Q. (2008). A short synthesis of (+)-hygrine. *Tetrahedron Letters*, 49(25): 3995-3996.

**Pavlov A., Georgiev V., Ilieva M. 2005. Betalain biosynthesis by red beet (*Beta vulgaris* L.) hairy root culture. *Process Biochemistry*, 40:1531-1533.**

**ЦИТИРАНА В:**

77. Liu, C., Abbas, B.H., Gao, M., Murch, S.J., Saxena, P.K. (2006). Caffeic acid derivatives production by hairy root cultures of *Echinacea purpurea*. *Journal of Agricultural and Food Chemistry*, 54(22): 8456-8460.
78. Wang, C., Chen, M., Wang, B. (2007). Betacyanin accumulation in the leaves of C3 halophyte *Suaeda salsa* L. is induced by watering roots with H<sub>2</sub>O<sub>2</sub>. *Plant Science*, 172(1): 1-7.
79. Kim, K., Lee, S., Yook, H. (2007). Effects of gamma irradiation on physicochemical properties of red beet and stability of betalain in the red beet (*Beta vulgaris* L.). *Journal of the Korean Society of Food Science and Nutrition*, 36(4): 453-457.
80. Moreno, D.A., García-Viguera, C., Gil, J.I., Gil-Izquierdo, A. (2008). Betalains in the era of global agri-food science, technology and nutritional health. *Phytochemistry Reviews*, 7(2): 261-280.
81. Pavokovic, D., Rusak, G., Besendorfer, V., Krsnik-Rasol, M. (2009). Light-dependent betanin production by transformed cells of sugar beet. *Food Technology and Biotechnology*, 47(2): 153-158.
82. Baskaran, P., Jayabalan, N. (2009). Psoralen production in hairy roots and adventitious roots cultures of *Psoralea corylifolia*. *Biotechnology Letters*, 31(7): 1073-1077.
83. Neelwarne, B., Thimmaraju, R. (2009). Bioreactor for cultivation of red beet hairy roots and *in situ* recovery of primary and secondary metabolites. *Engineering in Life Sciences*, 9(3): 227-238.
84. Verma, P.C., Trivedi, I., Singh, H., Shukla, A.K., Kumar, M., Upadhyay, S.K., Pandey, P., Hans, A.L., Singh, P.K. (2009). Efficient production of gossypol from hairy root cultures of cotton (*Gossypium hirsutum* L.). *Current Pharmaceutical Biotechnology*, 10(7): 691-700.
85. Oomen, R. (2009). Production of blue pigments from the callus cultures of *Lavandula augustifolia* and red pigments (betalains) from the hairy root culture of *Beta vulgaris*. *PhD thesis, Massey University, Palmerston North, New Zealand*.
86. Shinde, A.N., Malpathak, N., Fulzele, D.P. (2010). Impact of nutrient components on production of the phytoestrogens daidzein and genistein by hairy roots of *Psoralea corylifolia*. *Journal of Natural Medicines*, 64(3): 346-353
87. Kriznik, M., Pavokovic, D. (2010). Enhancement of betanin yield in transformed cells of sugar beet (*Beta vulgaris* L.). *Acta Botanica Croatica*, 69 (2): 173-182.
88. Fakhari, A.R., Baghipour, S. (2010). Extraction of a food colorant from red beet and evaluation of its stability. *Journal of Color Science and Technology*, 3(4): 243-250.
89. Mishra, J., Bhandari, H., Singh, M., Rawat, S., Agnihotri, R.K., Mishra, S., Purohit S. (2011). Hairy root culture of *Picrorhiza kurroa* Royle ex Benth.: a promising approach for

- the production of picrotin and picrotoxinin. *Acta Physiologiae Plantarum*, 33(5): 1841-1846. DOI: 10.1007/s11738-011-0724-x.
90. Saw, N., Riedel, H., Cai, Z., Kütük, O., Smetanska, I. (2012). Stimulation of anthocyanin synthesis in grape (*Vitis vinifera*) cell cultures by pulsed electric fields and ehephon. *Plant Cell, Tissue and Organ Culture*, 108 (1): 47-54. ISSN: 0167-6857
91. Lenk, F., Vogel, M., Bley, Th., Steingroewer, J. (2012). Automatic image recognition to determine morphological development and secondary metabolite accumulation in hairy root networks. *Engineering in Life Sciences*, 12(6): 588-594. ISSN: 1618-2863. DOI: 10.1002/elsc.201200022
92. Neelwarne, B. (2012). Techno-commercial aspects of relevance to red beet. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 409-426.
93. Mastuti, R. (2012). Role of in vitro system as continuous betalain sources. *Basic Science International Conference (BaSIC) 2012; Makalah Seminar Internasional*, <http://retnomastutibiologi.lecture.ub.ac.id/files/2012/06/paper-BaSic-2012-18-Feb.pdf>
94. Swarna J., Ravindhran R. (2012). *Agrobacterium rhizogenes* - Mediated hairy root induction of *Momordica charantia* Linn. and the detection of charantin, a potent hypoglycaemic agent in hairy roots. *Research Journal of Biotechnology*, 7(4): 227 – 231.
95. Sharifi, S., Sattari, T. N., Zebarjadi, A., Majd, A., Ghasempour, H. (2014). The influence of *Agrobacterium rhizogenes* on induction of hairy roots and  $\beta$ -carboline alkaloids production in *Tribulus terrestris* L. *Physiology and Molecular Biology of Plants*, 20(1), 69-80. DOI 10.1007/s12298-013-0208-0
96. Yarizadeh, K., Hosseini, R. (2012). Comparative investigation on antibacterial and anti yeast properties of methanolic and aqueous extracts of hairy root, root and aerial parts of *Artemisia vulgaris*. *Journal of Microbial Biotechnology*, 4(14), 47-52.
97. Kazimierzak, R., Hallmann, E., Lipowski, J., Drela, N., Kowalik, A., Püssa, T., Matt, D., Luik, A., & Gozdowski, D. (2014). Beetroot (*Beta Vulgaris* L.) and naturally fermented beetroot juices from organic and conventional production: metabolomics, antioxidant levels and anti-cancer activity. *Journal of the Science of Food and Agriculture*, 94, 2618–2629.
98. Zhang, B., Chen, W., Liu, L., Wang, J., Zhao, Z.G. (2014). 超声波辅助提取对甜菜红的量及其活性的影响. *China Beet & Sugar*, 1, TS245.9, DOI: 10.3639/j.issn.1002-0551.2014.01.003
99. Ruangdej, U., Laohavisuti, N., (2014). LSBE-1387 Effect of Betalain Feeding on Growth, Histopathology and Skin Pigmentation of Red-Tailed Black Shark. Proceedings of *International Conference on Life Science & Biological Engineering*. Hokkaido, Japan, ISBN 978-986-89298-1-4
100. Clifford, T., Howatson, G., West, D. J., Stevenson, E. J. (2015). The Potential Benefits of Red Beetroot Supplementation in Health and Disease. *Nutrients*, 7(4), 2801-2822.

**Pavlov, A., Berkov S., Courot E., Gocheva T., Tuneva D., Pandova B., Georgiev M., Georgiev V., Yanev S., Burrus M., Ilieva M. 2007. Galanthamine production by *Leucojum aestivum* in vitro systems. *Process Biochemistry*, 42(4): 734-739.**

#### ЦИТИРАНА В:

101. Ptak, A., Tahchy, A.E., Dupire, F., Boisbrun, M., Henry, M., Chapleur, Y., Mos, M., Laurain-Mattar, D. (2009). LCMS and GCMS for the screening of alkaloids in natural and in vitro extracts of *Leucojum aestivum*. *Journal of Natural Products*, 72 (1), 142–147.

102. Jin, Z. (2009). Amaryllidaceae and scelletium alkaloids. *Natural Product Reports*, 26 (3), 363-381.
103. Heinrich, M. (2010). Galanthamine from galanthus and other Amaryllidaceae – Chemistry and biology based on traditional use. In: *The Alkaloids: Chemistry and Biology Volume 68* (Geoffrey A. Cordell ed.), Elsevier, ISBN: 978-0-12-381335-0, pp. 157-165.
104. Ptak, A., Tahchy, A.E., Wyzgolik, G., Henry, M., Laurain-Mattar, D. (2010). Effects of ethylene on somatic embryogenesis and galanthamine content in *Leucojum aestivum* L. cultures. *Plant Cell, Tissue and Organ Culture*, 102(1): 61-67.
105. Georgieva, L., Atanassov, A., Davidkova, L., Kondakova, V. (2010). Long-term *in vitro* storage and multiplication of *Leucojum aestivum* L. *Biotechnology & Biotechnological Equipment*, 24(3): 1950-1954.
106. Tahchy, A.E., Bordage, S., Ptak, A., Dupire, F., Barre, E., Guillou, C., Henry, M., Chapleur, Y., Laurain-Mattar, D. (2011). Effects of sucrose and plant growth regulators on acetylcholinesterase inhibitory activity of alkaloids accumulated in shoot cultures of *Amaryllidaceae*. *Plant Cell, Tissue and Organ Culture*, DOI: 10.1007/s11240-011-9933-7.
107. Erdogan Orhan, I., Orhan, G., Gurkas, E. (2011). An overview on natural cholinesterase inhibitors - A multi-targeted drug class - and their mass production. *Mini Reviews in Medicinal Chemistry*, 11(10): 836-842. doi:10.2174/138955711796575434
108. Parolo, G., Abeli T., Rossi, G., Dowgiallo, G., Matthies, D. (2011). Biological flora of Central Europe: *Leucojum aestivum* L. *Perspectives in Plant Ecology, Evolution and Systematics*, In Press, doi:10.1016/j.ppees.2011.05.004
109. Tasheva, K., Kosturkova, G. (2013). Role of biotechnology for protection of endangered medicinal plants. In: *Environmental Biotechnology - New Approaches and Prospective Applications*, (Petre, M. ed.). InTech Publisher, ISBN: 978-953-51-0972-3, pp: 235-285.
110. Ptak, A., El Tahchy, A., Skrzypek, E., Wójtowicz, T., Laurain-Mattar, D. (2013). Influence of auxins on somatic embryogenesis and alkaloid accumulation in *Leucojum aestivum* callus. *Central European Journal of Biology*, 8(6), 591-599.
111. Çiçek, E., Çetin, B., Özbayram, A. K., Türkyılmaz, H. (2013). Effect of desiccation, temperature and storage on the germination of snow flake (*Leucojum aestivum* L.) seeds. *Artvin Çoruh Üniversitesi Orman Fakültesi Dergisi*, 14(2), 245-252. ISSN:2146-1880
112. Ptak, A. (2014). *Leucojum aestivum* L. *in vitro* bulbs induction and acclimatization. *Open Life Sciences*, 9(11), 1011-1021. *Central European Journal of Biology*, 9(11), 1011-1021.
113. Saliba, S., Ptak, A., Laurain-Mattar, D. (2015). 4'-O-methylnorbelladine feeding enhances galanthamine and lycorine production by *Leucojum aestivum* L. shoot cultures. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201500008
114. Diamond, A., Desgagné-Penix, I. (2015). Metabolic engineering for the production of plant isoquinoline alkaloids. *Plant biotechnology journal*. DOI: 10.1111/pbi.12494
115. Svinyarov, I., Keremedchieva, R., Bogdanov, M.G., (2016). Ionic liquid-supported solid-liquid extraction of bioactive alkaloids. IV. New HPLC method for quantitative determination of galantamine in *Leucojum aestivum* L.(Amaryllidaceae). *Separation Science and Technology*, DOI:10.1080/01496395.2016.1171783.

**Georgiev, M., Georgiev, V., Weber, J., Bley, T., Ilieva, M., Pavlov, A. (2008): Agrobacterium rhizogenes-mediated genetic transformations: A powerful tool for the production of metabolites. In: Genetically Modified Plants, (T. Wolf and J. Koch edits.); Nova Science Publishers, Hauppauge, NY, USA, ISBN: 978-1-60456-696-3, pp. 99-126;.**

#### ЦИТИРАНА В:



116. Mišić, D., Šiler, B., Skorić, M., Djurickovic, M. S., Nestorović Živković, J., Jovanović, V., Giba, Z. (2013). Secoiridoid glycosides production by *Centaureum maritimum* (L.) Fritch hairy root cultures in temporary immersion bioreactor. *Process Biochemistry*, 48(10), 1587-1591.

**Georgiev, V., Ilieva, M., Bley, T., Pavlov, A. (2008). Betalain production in plant *in vitro* systems. *Acta Physiologiae Plantarum*, 30(5): 581-593.**

#### ЦИТИРАНА В:

117. Mathew, A. J., Jayachandran, K. (2009). Production of scopadulcic acid B from *Scoparia dulcis* Linn. using a *Luffa* sponge bioreactor. *Plant Cell, Tissue and Organ Culture*, 98(2): 197-203.
118. Neelwarne, B., Thimmaraju, R. (2009). Bioreactor for cultivation of red beet hairy roots and *in situ* recovery of primary and secondary metabolites. *Engineering in Life Sciences*, 9(3): 227-238.
119. Pérez-Alonso, N., Wilken, D., Gerth, A., Jähn, A., Nitzsche, H.M., Kerns, G., Capote-Perez, A., Jiménez, E. (2009). Cardiotonic glycosides from biomass of *Digitalis purpurea* L. cultured in temporary immersion systems. *Plant Cell, Tissue and Organ Culture*, 99(2): 151-156.
120. Martinez, R.S. (2009). Comparacion de dos impulsores en un biorreactor para el cultivo de celulase de *Beta vulgaris* L. y su produccion de betalainas y proteinas arabinogalactanos. Thesis. Instituto Politecnico Nacional. Centro de desarrollo de productos bioticos. Departamento de Biotecnologia. Yautepec, Morelos, Mexico. <http://itzamna.bnct.ipn.mx:8080/dspace/handle/123456789/8132?mode=full>
121. Dmitrović, S., Mitić, N., Zdravković-Korać, S., Vinterhalter, B., Ninković, S., Čulafić, L. J. (2010). Hairy roots formation in recalcitrant-to-transform plant *Chenopodium rubrum*. *Biologia Plantarum*, 54(3): 566-570.
122. Kriznik, M., Pavokovic, D. (2010). Enhancement of betanin yield in transformed cells of sugar beet (*Beta vulgaris* L.). *Acta Botanica Croatica*, 69 (2): 173-182.
123. Pavokovic, D., Krsnik-Rasol, M. (2011). Complex biochemistry and biotechnological production of betalains. *Food Technol. Biotechnol.* 49 (2): 145-155.
124. Rahayu, D.P., Mastuti, R., Roosdiana A. (2010). Kultur kalus sebagai penghasil betalain secara *in vitro*. *Basic Science Seminar VII*, FMIPA UB, 2010, [http://biologi.ub.ac.id/?page\\_id=646&lang=en](http://biologi.ub.ac.id/?page_id=646&lang=en)
125. Bołonkowska, O., Pietrosiuk, A., Sykłowska-Baranek, K. (2011). Roślinne związki barwne ich właściwości biologiczne oraz możliwości wytwarzania w kulturach *in vitro*. *Biul. Wydz. Farm. WUM*, 1: 1-27 <http://biuletynfarmacji.wum.edu.pl/>
126. Kleinowski, A.M. (2011). Produção de betacianina, crescimento e potencial bioativo de plantas do gênero *Alternanthera*. *Dissertação (Mestrado em Biologia) - Universidade Federal de Pelotas, Brazil*. <http://www.ufpel.edu.br/ib/botanica/fisiologiavegetal/index.php?page=disserta>
127. Siatka, T., Sklenarova, H., Kasparova, M., Solich, P. (2011). Effects of mercury(II) chloride on production of coumarins in *Angelica archangelica* L. cell suspension cultures. *Chemicke Listy*, 105 (5): 367-370.
128. Salahas, G., Papasavvas, A., Giannakopoulos, E., Tselios, T., Konstantopoulou, H., Savvas, D. (2011). Impact of nitrogen deficiency on biomass production, leaf gas exchange,

- and betacyanin and total phenol concentrations in red beet (*Beta vulgaris* L. ssp *vulgaris*) Plants. *European Journal of Horticultural Science*, 76 (5-6): 194-200.
129. Vaz Ribeiro, M. (2011). Elicidores abióticos no estresse oxidativo e na expressão de gene da rota de betacianina em *Alternanthera philoxeroides* (Mart.) Griseb. Tese do título de Doutor em Fisiologia Vegetal, Universidade Federal de Pelotas, Brazil, <http://www.ufpel.edu.br/ib/botanica/fisiologiavegetal/index.php?page=disserta>
  130. Pérez-Alonso, N., Capote, A., Gerth, A., Jiménez, E. (2012). Increased cardenolides production by elicitation of *Digitalis lanata* shoots cultured in temporary immersion systems. *Plant Cell, Tissue and Organ Culture*, 110: 153-162, ISSN: 0167-6857.
  131. Swarna, J., Ravindhran, R. (2012). In vitro propagation and assessment of genetic integrity of *Talinum triangulare* (Jacq.) Willd: a valuable medicinal herb. *Acta Physiologiae Plantarum*, 23(5): 1987-1996. ISSN: 1861-1664.
  132. Neelwarne, B. (2012). Red beet hairy root cultures. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 199-249.
  133. Neelwarne, B., Halagur, S.B. (2012). Red beet: An overview. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 1-43.
  134. Madhusudhan, M.C., Raghavarao, K.S.M.S. (2012). Aqueous two-phase extraction for the recovery of beet pigments and enzymes. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 393-408.
  135. Kapadia, G.J., Rao, G.S. (2012). Anticancer effects of red beet pigments. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 125-154.
  136. Ashraf M.F., Aziz M.A., Stanslas J., Kadir M.A. (2013). Optimization of immersion frequency and medium substitution on microtuberization of *Chlorophytum borivillianum* in RITA system on production of saponins. *Process Biochemistry*, 48(1): 73–77; DOI: 10.1016/j.procbio.2012.12.001. ISSN: 1359-5113.
  137. Bama, K., Pandiselvi, K., Savitha, K. U., Prabu, H. G. (2013). Dyeing of silk fabric with betalain dyes. *Int Dyer*, 198(4): 44-45. ISSN: 0020-658X
  138. Karaaslan, M., Ozden, M., Vardin, H., Yilmaz F.M. (2013). Optimisation of phenolic compound biosynthesis in grape (Bogazkere Cv.) callus culture. *African Journal of Biotechnology*, 12(25):3922-3933. DOI: 10.5897/AJB2013.12344; ISSN 1684-5315
  139. Reis, A. (2013). Betalains synthesis induced by light in *Alternanthera* genus species. 102 f. Dissertação (Mestrado em Biologia) - Universidade Federal de Pelotas, Pelotas, 2013.
  140. Kleinowski, A. M., Brandão, I. R., Einhardt, A. M., Ribeiro, M. V., Peters, J. A., Braga, E. J. B. (2014). Pigment production and growth of *Alternanthera* plants cultured in vitro in the presence of tyrosine. *Brazilian Archives of Biology and Technology*, 57(2), 253-260.
  141. Davies, K. M., & Deroles, S. C. (2014). Prospects for the use of plant cell cultures in food biotechnology. *Current opinion in biotechnology*, 26, 133-140.
  142. Schumann, A., Claus, D., & Gerth, A. (2014). In Vitro Production of *Digitalis purpurea* Biomass Using Temporary Immersion Cultures. In *Production of Biomass and Bioactive Compounds Using Bioreactor Technology* (K.Y. Paek, H.N. Murthy and J.J. Zhong eds.). Springer Netherlands. pp. 417-428, ISBN 978-94-017-9223-3
  143. Faizal, N. F. A., Sekeli, R., Shahaluddin, N. A., Abdullah, J. O. Effects of Methyl-Jasmonate on Betalain Production in Red Pitaya. *Proceedings of International Agriculture Congress 2014, University Putra Malaysia*, p75-80.
  144. González Nava, C. (2015). Caracterización físico química del fruto de garmbullo (*Myrtillocactus geometrizans*). Thesis Maestro en Ciencias-Recursos Bioticos, Universidad Autonoma de Queretaro, Santiago de Queretaro. <http://ri.uaq.mx/handle/123456789/2577>
  145. Khan, M. I. (2015). Studies on pigments from fruits of *Rivina Humilis* L characterisation elicitation stability and safety. Thesis Doctor of Philosophy in Biochemistry, University of Mysore, India, <http://hdl.handle.net/10603/36454>

146. de Aguiar Lage, D., da Silva Tirado, M., Vanicore, S. R., de Carvalho Sabino, K. C., Albarello, N. (2015). Production of betalains from callus and cell suspension cultures of *Pereskia aculeata* Miller, an unconventional leafy vegetable. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 1-10. DOI 10.1007/s11240-015-0771-x
147. Khan, M. I., Giridhar, P. (2015). Plant betalains: Chemistry and biochemistry. *Phytochemistry*, 117, 267-295.
148. Warhade, M.I., Badere, R.S. (2015). Isolation of callus lines of *Celosia cristata* L. with variation in betalain content. *J. Indian Bot. Soc.*, 94(1-2), 89-96. ISSN: 0019-4468.
149. Reis, A., Kleinowski, A.M., Klein, F.R.S., Telles, R.T., do Amarante, L., Braga, E.J.B., (2015). Light quality on the in vitro growth and production of pigments in the genus *Alternanthera*. *Journal of Crop Science and Biotechnology*, 18(5), 349-357.
150. Khan, M. I., Kumar, A., Giridhar, P. (2016). Betalains and expression of antioxidant enzymes during development and abiotic stress in *Rivina humilis* L. berries. *Turkish Journal of Botany*, 40(1), 28-36. ISSN: 1300-008X
151. Jaganath, I.B., Zainal, A. (2015). Controlled Environment for Enhanced and Consistent Production of (Poly)Phenols in Specialty Crops. In: *Controlled Environment Agriculture - Production of Specialty Crops Providing Human Health Benefits through Hydroponics*. Nova Publisher, pp 1-32, ISBN: 978-1-63484-489-5

**Georgiev V., Weber J., Bley Th. and Pavlov A. (2009). Improved procedure for nucleus extraction for DNA measurements by flow cytometry of red beet (*Beta vulgaris* L.) hairy roots. *Journal of Bioscience and Bioengineering*, 107(4): 439-441.**

#### ЦИТИРАНА В:

152. Zong, X., Zhagn, D., Huang, W., Peng, H., Peng, D. (2012). Establishment of soybean hairy root system induced by *Agrobacterium rhizogene*. *Journal of Huazhong Agricultural University*, 31(6): 1-5. ISSN: 1000-2421.
153. Wang, Y., Xiao, Y., Liu, W., Li, T.T., Hu, R., Qiao, Z.X. (2015). Operation Skills of Flow Cytometry for Detecting Nuclear DNA Contents in Higher Plant Cells. *Plant Science Journal*, 33 (1), 126-131.

**Berkov, S., Pavlov, A., Georgiev, V., Bastida, J., Burrus, M., Ilieva, M., Codina, C. (2009). Alkaloid synthesis and accumulation in *Leucojum aestivum* in vitro cultures. *Natural product communications* 4(3): 359-364.**

#### ЦИТИРАНА В:

154. Maruf Hassan, M., Safiul Azam, F.M., Chowdhury, M.H., Rahmatullah, M. (2009). Callus induction of *Abrus precatorius*: Screening of phytohormones. *American-Eurasian Journal of Sustainable Agriculture*, 3(3): 512-518.
155. Hurrell, J.A., Roitman, G., Delucchi, G. (2009). Amaryllidaceae. In: *Flora rioplatense. Part 3: Monocotiledóneas, Vol. 4: Asparagales, Dioscoreales, Liliales* (J. A. Hurrell and G. Delucchi (eds.). Editorial LOLA, Buenos Aires, Argentina, pp. 91-152. ISBN 978-987-1533-08-4
156. Stanilova, M.I., Molle, E.D., Yanev, S.G. (2010). Galanthamine production by *Leucojum aestivum* cultures in vitro. In: *The Alkaloids: Chemistry and Biology Volume 68* (Geoffrey A. Cordell ed.), Elsevier, ISBN: 978-0-12-381335-0, pp. 168-270.

157. Pati, P.K., Kaur, J., Singh, P. (2011). A liquid culture system for shoot proliferation and analysis of pharmaceutically active constituents of *Catharanthus roseus* (L.) G. Don. *Plant Cell, Tissue and Organ Culture*, 105: 299-307.
158. Tahchy, A.E., Bordage, S., Ptak, A., Dupire, F., Barre, E., Guillou, C., Henry, M., Chapleur, Y., Laurain-Mattar, D. (2011). Effects of sucrose and plant growth regulators on acetylcholinesterase inhibitory activity of alkaloids accumulated in shoot cultures of *Amaryllidaceae*. *Plant Cell, Tissue and Organ Culture*, 106: 381-390.
159. Jin, Z. (2011). Amaryllidaceae and Sceletium alkaloids. *Natural Products Reports*, 28(6): 1126-1142. DOI:10.1039/C0NP00073F.
160. Chowdhury, F.B., Safiul Azam, F.M., Maruf Hassan, Md., Jahan, F.I., Chowdhury, A.R., Seraj, S., Khatun, Z., Rahmatullah. M. (2011). Studies with callus induction of *Vitex negundo*: an aromatic medicinal plant. *American-Eurasian Journal of Sustainable Agriculture*, 5(1): 6-14.
161. Tahchy, A.E., Ptak, A., Boisbrun, M., Barre, E., Guillou, C., Dupire, F., Chrétien, F., Henry, M., Chapleur, Y., Laurain-Mattar, D. (2011). Kinetic study of the rearrangement of deuterium-labeled 4'-O-methylnorbelladine in *Leucojum aestivum* shoot cultures by mass spectrometry. Influence of precursor feeding on Amaryllidaceae alkaloid accumulation. *Journal of Natural Products*, 74(11): 2356-2361.
162. Sharma P., Padh H., Shrivastava N. (2013). Hairy root cultures: A suitable biological system for studying secondary metabolic pathways in plants. *Engineering in Life Sciences*, 13(1): 62-75; DOI: 10.1002/elsc.201200030, ISSN: 1618-2863.
163. Tasheva, K., Kosturkova, G. (2013). Role of biotechnology for protection of endangered medicinal plants. In: *Environmental Biotechnology - New Approaches and Prospective Applications*, (Petre, M. ed.). InTech Publisher, ISBN: 978-953-51-0972-3, pp: 235-285.
164. Sen, M. K., Nasrin, S., Rahman, S., Jamal, A. H. M. (2014). In vitro callus induction and plantlet regeneration of *Achyranthes aspera* L., a high value medicinal plant. *Asian Pacific journal of tropical biomedicine*, 4(1): 40-46. ISSN: 2221-1691
165. Islam, S., Chawdhury, M. R., Hossain, I., Sayeed, M. S. R., Rahman, S., Azam, F. M. S., & Rahmatullah, M. (2014). A study on callus induction of *Ipomoea mauritiana*: an Ayurvedic medicinal plant. *American-Eurasian Journal of Sustainable Agriculture*, 8(5), 86-93.
166. Rifat, M.R.H., Prottoy, M.A., Arabi, M.A.H. S., Sultana, R., Chakraborty, S., Eva, K., Khan, A.I., All Rakib, A., Mahal, M.J. & Rahmatullah, M. (2014). Blending of Indigenous Medicinal Practices: A Case of Chakma, Garo and Kush Tribal Practitioners Practicing Among Garo and Kush Tribes in Sherpur District, Bangladesh. *American-Eurasian Network for Scientific Information publisher*, 8(5), 112-123
167. Nazneen F.H., Kumar, A.N.B., Shankar, C., Madhusudhan A.R. (2014). Comparative studies of some plant growth regulators and coconut water on callus induction in *Tinospora cordifolia* (willd) – a medicinal plant. *International Journal of Recent Scientific Research*, 5(11): 2072-2077.
168. Lisa, S. F., Lithy, S. S., Rashid, H. O., Mahdi, R., Mohammad, F., Azam, S., Rahmatullah, M. (2014). In vitro mass propagation of *Wedelia calendulacea* Less., a rare medicinal herb. *American-Eurasian Journal of Sustainable Agriculture*, 8(5): 18-25. ISSN: 1995-0748
169. Thirupathy, S., Sisubalan, N., Ghouse Basha, M. (2014). Callus induction from a wild medicinal plant *Tephrosia hookeriana* weight and arn. *International Journal of Recent Scientific Research*, 5(6): 1027-1030.
170. Szopa, A., Kokotkiewicz, A., Marzec-Wróblewska, U., Bucinski, A., Luczkiewicz, M., Ekiert, H. (2016). Accumulation of dibenzocyclooctadiene lignans in agar cultures and in stationary and agitated liquid cultures of *Schisandra chinensis* (Turcz.) Baill. *Applied microbiology and biotechnology*, 100(9), 3965–3977.

171. Saliba, S., Ptak, A., Boisbrun, M., Spina, R., Dupire, F., Laurain-Mattar, D. (2016). Stimulating effect of both 4'-O-methylnorbelladine feeding and temporary immersion conditions on galanthamine and lycorine production by *Leucojum aestivum* L. bulblets. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201600045

**Abstract – Georgiev, V., Ivanov, I, Pavlov, A., Georgiev, M., Iliev, M. (2008). Galanthamine production by *Leucojum aestivum* in vitro shoot cultures. *Planta Medica*, 74(9): 1164-1164**

**ЦИТИРАНА В:**

172. Jin, Z. (2009). Amaryllidaceae and Sceletium alkaloids. *Natural Products Reports*, 26(3): 363-381.
173. Jin, Z. (2011). Amaryllidaceae and Sceletium alkaloids. *Natural Products Reports*, 28(6): 1126-1142. DOI:10.1039/C0NP00073F.

**Georgiev, V., Berkov, S., Georgiev, M., Burrus, M., Codina, C., Bastida, J., Ilieva, M., Pavlov, A. (2009). Optimized nutrient medium for galanthamine production in *Leucojum aestivum* L. in vitro shoot system. *Zeitschrift fur Naturforschung*, 64C: 219-224**

**ЦИТИРАНА В:**

174. Stanilova, M.I., Molle, E.D., Yanev, S.G. (2010). Galanthamine production by *Leucojum aestivum* cultures in vitro. In: *The Alkaloids: Chemistry and Biology Volume 68* (Geoffrey A. Cordell ed.), Elsevier, ISBN: 978-0-12-381335-0, pp. 168-270.
175. Tahchy, A.E., Bordage, S., Ptak, A., Dupire, F., Barre, E., Guillou, C., Henry, M., Chapleur, Y., Laurain-Mattar, D. (2011). Effects of sucrose and plant growth regulators on acetylcholinesterase inhibitory activity of alkaloids accumulated in shoot cultures of *Amaryllidaceae*. *Plant Cell, Tissue and Organ Culture*, 106: 381-390. DOI: 10.1007/s11240-011-9933-7.
176. Erdogan Orhan, I., Orhan, G., Gurkas, E. (2011). An overview on natural cholinesterase inhibitors - A multi-targeted drug class - and their mass production. *Mini Reviews in Medicinal Chemistry*, 11(10): 836-842. doi:10.2174/138955711796575434
177. Parolo, G., Abeli T., Rossi, G., Dowgiallo, G., Matthies, D. (2011). Biological flora of Central Europe: *Leucojum aestivum* L. *Perspectives in Plant Ecology, Evolution and Systematics*, 13(4): 319-330. doi:10.1016/j.ppees.2011.05.004
178. Tahchy, A.E., Ptak, A., Boisbrun, M., Barre, E., Guillou, C., Dupire, F., Chrétien, F., Henry, M., Chapleur, Y., Laurain-Mattar, D. (2011). Kinetic study of the rearrangement of deuterium-labeled 4'-O-methylnorbelladine in *Leucojum aestivum* shoot cultures by mass spectrometry. Influence of precursor feeding on Amaryllidaceae alkaloid accumulation. *Journal of Natural Products*, 74(11): 2356-2361.
179. Ahmad, S., Garg, M., Tamboli, E. T., Abdin, M. Z., Ansari, S. H. (2013). In vitro production of alkaloids: Factors, approaches, challenges and prospects. *Pharmacognosy Reviews*, 7(13), 27. ISSN: 0973-7847

**Weber, J., Georgiev, V., Pavlov, A., Bley, Th. 2008. Flow cytometric investigations of diploid and tetraploid plants and in vitro cultures of *Datura stramonium* and *Hyoscyamus niger*. *Cytometry A*, 73(A): 931-939**

**ЦИТИРАНА В:**

180. Tárnok, A. (2009). Visiting the plant kingdom. *Cytometry A*, 75(12):973-974.

181. Neelakandan, A.K., Wang, K. (2012). Recent progress in the understanding of tissue culture-induced genome level changes in plants and potential applications. *Plant Cell Reports*, 31: 597-620. ISSN: 0721-7714.
182. Dehghan, E., Häkkinen, S.T., Oksman-Caldentey, K.-M., Ahmadi, F.S. (2012). Production of tropane alkaloids in diploid and tetraploid plants and in vitro hairy root cultures of Egyptian henbane (*Hyoscyamus muticus* L.). *Plant Cell, Tissue and Organ Culture*, 110: 35-44. ISSN: 0167-6857.
183. Patil, R.A., Roberts, S.C. (2013). Implications of cellular heterogeneity on plant cell culture performance. In: "Biotechnology for Medicinal Plants" (Chandra, S., Lata, H., Varma, A. eds.). *Springer Berlin Heidelberg*, ISBN: 978-3-642-29974-2, 207-239.
184. Sharma P., Padh H., Shrivastava N. (2013). Hairy root cultures: A suitable biological system for studying secondary metabolic pathways in plants. *Engineering in Life Sciences*, 13(1): 62-75; DOI: 10.1002/elsc.201200030, ISSN: 1618-2863.
185. Choudhury, R. R., Basak, S., Ramesh, A. M., Rangan, L. (2014). Nuclear DNA content of *Pongamia pinnata* L. and genome size stability of in vitro-regenerated plantlets. *Protoplasma*, 251(3), 701-709.
186. Perera, P. I. P., Ordoñez, C. A., Lopez-Lavalle, L. B., Dedicova, B. (2013). A milestone in the doubled haploid pathway of cassava. *Protoplasma*, 251(1), 233-246. ISSN: 0033-183X
187. Acanda, Y., Martínez, Ó., González, M. V., Prado, M. J., Rey, M. (2015). Highly efficient in vitro tetraploid plant production via colchicine treatment using embryogenic suspension cultures in grapevine (*Vitis vinifera* cv. Mencía). *Plant Cell, Tissue and Organ Culture (PCTOC)*, 123(3), 547-555. ISSN: 0167-6857

**Berkov, S., Pavlov, A., Georgiev, V., Weber, J., Bley, T., Viladomat, F., Bastida, J. and Codina, C. (2010): Changes in apolar metabolites during in vitro organogenesis of *Pancreatum maritimum*. *Plant Physiology et Biochemistry*, 48(10-11), 827-835**

#### ЦИТИРАНА В:

188. Jin, Z. (2011). Amaryllidaceae and Sceletium alkaloids. *Natural Products Reports*, 28(6): 1126-1142. DOI:10.1039/C0NP00073F.
189. Erdogan Orhan, I., Orhan, G., Gurkas, E. (2011). An overview on natural cholinesterase inhibitors - A multi-targeted drug class - and their mass production. *Mini Reviews in Medicinal Chemistry*, 11(10): 836-842. doi:10.2174/138955711796575434
190. Sanaa, A., Boulila, A., Bejaoui, A., Boussaid, M., Fadhel, N.B. (2012). Variation of the chemical composition of floral volatiles in the endangered Tunisian *Pancreatum maritimum* L. populations (Amaryllidaceae). *Industrial Crops and Products*, 40: 312-317. ISSN: 0926-6690.
191. Takos, A.M., Rook, F. (2013). Towards a molecular understanding of the biosynthesis of Amaryllidaceae alkaloids in support of their expanding medical use. *International Journal of Molecular Sciences*, 14(6): 11713-11741.
192. Singh, M., Chaturvedi, R. (2013). Sustainable production of azadirachtin from differentiated in vitro cell lines of neem (*Azadirachta indica*). *AoB Plants*, 5, plt034. ISSN 2041-2851
193. Mohamed Al-Ashkar, Nagla (2013). Estudio etnobotánico de la provincia de Mtruh (Egipto). [Thesis Doctoral] Tesis inédita de la Universidad Complutense de Madrid, Facultad de Farmacia, Departamento de Farmacología. <http://eprints.ucm.es/21283/>

194. Srivastava P., Singh M., Devi G., Chaturvedi R. (2013). Herbal Medicine and Biotechnology for the Benefit of Human Health. *Animal Biotechnology: Models in Discovery and Translation*, pp. 563 – 575.
195. Iannello, C. (2014). Pharmacological screening and biotechnological production of alkaloids from tissues and cells cultured by plants of the Amaryllidaceae family. Tesi di Dottorato, UNIVERSITÀ DI BOLOGNA, Italy.
196. Ncube, B., Baskaran, P., Van Staden, J. (2015). Transition from in vitro to an ex vitro environment: is the metabolism altered? *In Vitro Cellular & Developmental Biology-Plant*, 51(2): 166-173

**Georgiev V., Weber J., Kneschke E., Denev P., Bley T., Pavlov A. (2010): Antioxidant activity and phenolic content of betalain extracts from intact plants and hairy root cultures of the red beetroot *Beta vulgaris* cv. Detroit Dark Red. *Plant Foods for Human Nutrition*, 65: 105–111**

#### ЦИТИРАНА В:

197. Osorio-Esquivel, O., Moreno, A.O., Alvarez, V.B., Dorantes-Alvarez, L., Giusti, M.M. (2011). Phenolics, betacyanins and antioxidant activity in *Opuntia joconostle* fruits. *Food Research International*, 44(7): 2160-2168. doi:10.1016/j.foodres.2011.02.011
198. Zhou, M-L., Zhu, X-M., Shao, J-R., Tang, Y-X., Wu, Y-M. (2011). Production and metabolic engineering of bioactive substances in plant hairy root culture. *Applied Microbiology and Biotechnology*, 90(4): 1229-1239.
199. Pavokovic, D, Krsnik-Rasol, M. (2011). Complex biochemistry and biotechnological production of betalains. *Food Technol. Biotechnol.* 49 (2): 145–155.
200. Padron Pereira, C.A., Moreno Alvarez, M.J. (2010). Evaluation of the use of enzymes and gravity filtration for clarification of diluted mixture of cactus (*Opuntia boldinghii* Britton & Rose) fruits pulp, orange and grapefruit juices. *Revista Facultad Nacional de Agronomía - Medellín*, 63(1): 5429-5439.
201. Countering radiation damage and contamination: Anticancer cures, quick detoxes or quackeries? (July 20, 2011). *EDUCATION IN JAPAN COMMUNITY*. <http://educationinjapan.wordpress.com/2011/07/20/countering-radiation-damage-and-contamination-anticancer-claims-and-cures-quick-detoxes-or-quackeries/>
202. Velićanski, A.S., Cvetković, D.D., Markov, S.L., Vulić, J.J., Đilas, S.M. (2011). Antibacterial activity of *Beta vulgaris* L. pomace extract. *Acta Periodica Technologica*, 42: 263-269.
203. Woo, K.K., Wong, F.N.F., Chua, H.S.C., Tang, P.Y. (2011). Stability of the spray-dried pigment of red dragon fruit [*Hylocereus polyrhizus* (Weber) Britton and Rose] as a function of organic acid additives and storage conditions. *Philippine Agricultural Scientist*, 94 (3): 264-269.
204. Cheda, K., Wołosiak, R. (2011). Właściwości przeciwutleniające buraków ćwikłowych i ich przetworów. *Zeszyty Naukowe/Uniwersytet Ekonomiczny w Poznaniu*, 205: 75-82.
205. Cai, Z., Kastell, A., Knorr, D., Smetanska, I. (2012). Exudation: an expanding technique for continuous production and release of secondary metabolites from plant cell suspension and hairy root cultures. *Plant Cell Reports*, 31(3): 461-477. ISSN: 0721-7714.
206. Goncalves, L.C.P., Trassi, M.A.D.S., Lopes, N.B., Dörr, F.A., Santos, M.T.D., Baader, W.J., Oliveira Jr., V.X., Bastos, E.L. (2012) A comparative study of the purification of betanin. *Food Chemistry*, 131(1): 231-238. ISSN: 0308-8146.
207. Vulića, J., Čanadanović-Bruneta, J., Četkovića, G., Tumbasa, V., Djilasa, S., Četojević-Siminb, D., Čanadanovićc, V. (2012). Antioxidant and cell growth activities of beet root pomace extracts. *Journal of Functional Foods*, 4 (3): 670–678. ISSN: 1756-4646.

208. Ravichandran, K., Ahmed, A.R., Knorr, D., Smetanska, I. (2012). The effect of different processing methods on phenolic acid content and antioxidant activity of red beet. *Food Research International*, 48(1):16–20. ISSN: 0963-9969.
209. Krajka-Kuzniak, V., Szaefer, H., Ignatowicz, E., Adamska, T., Baer-Dubowska, W. (2012). Beetroot juice protects against N-nitrosodiethylamine-induced liver injury in rats. *Food and Chemical Toxicology*, 50: 2027–2033. ISSN: 0278-6915.
210. Vulić, J. (2012). Functional and antioxidant characteristics of beetroot pomace (*Beta vulgaris*). *PhD Thesis, University of Novi Sad, Faculty of Technology, Novi Sad, Serbia*.
211. Agil, R., Hosseinian, F. (2012). Dual functionality of triticale as a novel dietary source of prebiotics with antioxidant activity in fermented dairy products. *Plant Foods for Human Nutrition*, 67 (1): 88-93. ISSN: 0921-9668.
212. Lee, S.S., Lee, E.M., Hong, S.H., Bai, H.-W., Lee, I.C., Chung, B.Y. (2012). Gamma rays as an effective tool for removing undesirable color without adverse changes in biological activities of red beet extracts. *Radiation Physics and Chemistry*, 81(8): 1147-1151. ISSN: 0969-806X.
213. Wootton-Beard, P.C., Ryan, L. (2012). Combined use of multiple methodologies for the measurement of total antioxidant capacity in UK commercially available vegetable juices. *Plant Foods for Human Nutrition*, 67: 142-147. ISSN: 0921-9668.
214. Ugrinović, K., Kmecl, V., Herak Ćustić, M., Žnidarčič, D. (2012). Contents of oxalic acid, nitrate and reduced nitrogen in different parts of beetroot (*Beta vulgaris* var. *conditiva* Alef.) at different rates of nitrogen fertilization. *African Journal of Agricultural Research*, 7 (20): 3066-3072. ISSN 1991- 637X.
215. Murthy, K.N.C., Manchali, S. (2012). Anti-diabetic potentials of red beet pigments and other constituents. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 155-174.
216. Kapadia, G.J., Rao, G.S. (2012). Anticancer effects of red beet pigments. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 125-154.
217. Neelwarne, B. (2012). Red beet hairy root cultures. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 199-249.
218. Neelwarne, B. (2012). Techno-commercial aspects of relevance to red beet. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 409-426.
219. Neelwarne, B., Halagur, S.B. (2012). Red beet: An overview. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 1-43.
220. Nicolle, L. and Bailey, C. (2012). The functional nutrition cookbook addressing biochemical imbalance through diet. Singing Dragon, London UK, ISBN: 978-1-84819-079-5, pages 256.
221. Sadeek, E. A. (2011). Protective effect of fresh Juice from red beetroot (*Beta vulgaris* L.) and radish (*Raphanus sativus* L.) against carbon tetrachloride-induced hepatotoxicity in rat models. *African J. Biol. Sci.*, 7(1): 69-84.
222. Zalan, Z., Halasz, A., Barath, A. (2012). Fermented red beet juice. In: *Handbook of Plant-Based Fermented Food and Beverage Technology, Second Edition*, (Hui, Y.H. ed.). CRC Press, USA, ISBN: 978-1-4398-4904-0, pp: 373-383.
223. Ashton Acton, Q. (2012). *Protective Agents: Advances in Research and Application: 2011 Edition*. ScholarlyEditions, Atlanta, Georgia, USA, ISBN: 978-1-4649-2085-1, pages 995.
224. Charles, D.J. (2013). Sources of natural antioxidants and their activities. In: *Antioxidant Properties of Spices, Herbs and Other Sources*, (Charles, D.J. ed.). Springer New York, ISBN: 978-1-4614-4309-4, pp: 65-138.
225. Vulić, J. J., Ćebović, T. N., Čanadanović, V. M., Ćetković, G. S., Djilas, S. M., Čanadanović-Brunet, J. M., Velićanski, A. S., Cvetković, D. D., Tumbas, V. T. (2013).



- Antiradical, antimicrobial and cytotoxic activities of commercial beetroot pomace. *Food & function*, 4, 713-721, DOI: 10.1039/C3FO30315B. ISSN: 2042-6496
226. Lidder, S., Webb, A.J. (2013). Vascular effects of nitrate (as found in green leafy vegetables & beetroot) via the nitrate-nitrite-nitric oxide pathway. *British Journal of Clinical Pharmacology*, 75(3): 677-696; DOI: 10.1111/j.1365-2125.2012.04420.x, ISSN: 1365-2125.
227. Babarikins, D., Krūmiņa, G., Paegle, I., Amerika, D., Krūmiņa, Z., Vanags, D., Tihomirova, T. (2013). Allogeneic bone marrow multipotent mesenchymal stromal cells and polytrauma repair: The role of fractionated on the basis of molecular mass red beetroot juice in the prevention of transplanted cells side effects in rats. In Proceedings of the Latvian Academy of Sciences. Section B. *Natural, Exact, and Applied Sciences* (Vol. 67, No. 1, pp. 52-60) ISSN: 1407-009X
228. Das, S., Williams, D. S., Das, A., Kukreja, R. C. (2013). Beet root juice promotes apoptosis in oncogenic MDA-MB-231 cells while protecting cardiomyocytes under doxorubicin treatment. *The journal of Experimental Secondary Science*, 1-6; ISSN: 2162-8092
229. Kastell, A., Smetanska, I., Schreiner, M., Mewis, I. (2013). Hairy roots, callus, and mature plants of *Arabidopsis thaliana* exhibit distinct glucosinolate and gene expression profiles. *Plant Cell, Tissue and Organ Culture*, 115: 45-54. DOI 10.1007/s11240-013-0338-7
230. Hunaefi, D., Smetanska, I. (2013). The effect of tea fermentation on rosmarinic acid and antioxidant properties using selected in vitro sprout culture of *Orthosiphon aristatus* as a model study. *SpringerPlus*, 2(1), 1-14.
231. Ninfali, P., Angelino, D. (2013). Nutritional and functional potential of *Beta vulgaris* *cicla* and *rubra*. *Fitoterapia*. 89: 188-199. DOI: 10.1016/j.fitote.2013.06.004
232. Siervo, M., Lara, J., Ogbonmwan, I., Mathers, J. C. (2013). Inorganic nitrate and beetroot juice supplementation reduces blood pressure in adults: A systematic review and meta-analysis. *The Journal of Nutrition*, 143(6), 818-826.
233. Janiszewska, E., Włodarczyk, J. (2013). Influence of spray drying conditions on beetroot pigments retention after microencapsulation process. *Acta Agrophysica*, 20(2), 343-356
234. Xu, S., Guerra, D., Lee, U., Vierling, E. (2013). S-nitrosoglutathione reductases are low-copy number, cysteine-rich proteins in plants that control multiple developmental and defense responses in Arabidopsis. *Frontiers in plant science*, 4: 430. ISSN: 1664-462X
235. Vulić, J. J., Čebović, T. N., Čanadanović-Brunet, J. M., Četković, G. S., Čanadanović, V. M., Djilas, S. M., Tumbas Šaponjac, V. T. (2014). In vivo and in vitro antioxidant effects of beetroot pomace extracts. *Journal of Functional Foods*, 6, 168-175.
236. García-Cruz, L., Valle-Guadarrama, S., Salinas-Moreno, Y., Joaquín-Cruz, E. (2013). Physical, Chemical, and Antioxidant Activity Characterization of Pitaya (*Stenocereus pruinosus*) Fruits. *Plant Foods for Human Nutrition*, 68: 403-410. DOI 10.1007/s11130-013-0391-8
237. Amnah, M. A. (2013). Nutritional, Sensory and Biological Study of Biscuits Fortified With Red Beet Roots. *Life Science Journal*, 10(3): 1579-1584. ISSN: 1097-8135
238. Ravichandran, K., Saw, N.M.M.T., Mohdaly, A.A.A., Gabr, A.M.M., Kastell, A., Riedel, H., Cai, Z.Z., Knorr, D., Smetanska, I. (2013). Impact of processing of red beet on betalain content and antioxidant activity. *Food Research International*, 50(2): 670-675. ISSN: 0963-9969.
239. Ben Haj Koubaier, H., Snoussi, A., Essaidi, I., Chaabouni, M. M., Thonart, P., Bouzouita, N. (2014). Betalain and phenolic compositions, antioxidant activity of Tunisian red beet (*Beta vulgaris* L. *conditiva*) roots and stems extracts. *International Journal of Food Properties*, 17(9), 1934-1945.
240. Jin, S. K., Moon, S. S., & Kim, G. D. (2014). ARTICLE: The Assessment of Red Beet as a Natural Colorant, and Evaluation of Quality Properties of Emulsified Pork

- Sausage Containing Red Beet Powder during Cold Storage. *Korean Journal for Food Science of Animal Resources* ( *한국축산식품학회지*), 34(4), 472-481.
241. Rocha, B.S., Nunes, C., Pereira, C., Barbosa, R.M., Laranjinha, J. (2014). A shortcut to wide-ranging biological actions of dietary polyphenols: modulation of the nitrate-nitrite-nitric oxide pathway in the gut. *Food & Function*, 5(8), 1646-52.
242. Casique-Arroyo, G., Martínez-Gallardo, N., de la Vara, L. G., & Délano-Frier, J. P. (2014). Betacyanin Biosynthetic Genes and Enzymes Are Differentially Induced by (a) biotic Stress in *Amaranthus hypochondriacus*. *PLoS one*, 9(6), e99012..
243. Esatbeyoglu, T., Wagner, A. E., Motafakkerzad, R., Nakajima, Y., Matsugo, S., & Rimbach, G. (2014). Free radical scavenging and antioxidant activity of betanin: Electron spin resonance spectroscopy studies and studies in cultured cells. *Food and Chemical Toxicology*, 73: 119-126. DOI: 10.1016/j.fct.2014.08.007.
244. Rose, M. H., Sudha, P. N., & Sudhakar, K. (2014). Effect of antioxidants and hepatoprotective activities of methanol extracts of beet root (*Beta vulgaris* L.) against carbon tetrachloride-induced hepatotoxicity in rat models. *International Journal of Pharmaceutical Sciences and Research*, 5(6), 2546-2555.
245. Kazimierczak, R., Hallmann, E., Lipowski, J., Drela, N., Kowalik, A., Püssa, T., Matt, D., Luik, A., & Gozdowski, D. (2014). Beetroot (*Beta Vulgaris* L.) and naturally fermented beetroot juices from organic and conventional production: metabolomics, antioxidant levels and anti-cancer activity. *Journal of the Science of Food and Agriculture*, 94, 2618–2629.
246. Cruz-Ramírez, L. A., García-Ramírez, J. A., Rico-Resendiz, F. E., Membrilla-Ochoa, A., Alonso-Herrada, J., Escobar-Feregrino, T., Torres-Pacheco, I., Guevara-Gonzalez, R., Campos-Guillén, J., Valdez-Morales M., & Hernández, A. C. (2014). Plants as Bioreactors for Human Health Nutrients. In *Biosystems Engineering: Biofactories for Food Production in the Century XXI* (Ramon Guevara-Gonzalez and Irineo Torres-Pacheco Eds.). Springer International Publishing, Switzerland, ISBN: 978-3-319-03879-7, pp. 423-454.
247. Selim, N. A., Nada, S. A., Abdel-Salam, A. F., & Youssef, S. F. (2013). Evaluation of Some Natural Antioxidant Sources in Broiler Diets: 2-Effect on Chemical and Microbiological Quality of Chilled and Frozen Broiler Meat. *International Journal of Poultry Science*, 12(10), 572-581.
248. Wootton-Beard, P. (2012) Determination of phytochemicals in vegetable juices and their effects on postprandial glycaemia. PhD Thesis. Oxford Brookes University.
249. Reis, A. (2013). Betalains synthesis induced by light in *Alternanthera* genus species. 102 f. Dissertação (Mestrado em Biologia) - Universidade Federal de Pelotas, Pelotas, 2013.
250. Кароматов И.Дж. (2012). ПРОСТЫЕ ЛЕКАРСТВЕННЫЕ СРЕДСТВА (опыт применения лекарственных средств натурального происхождения в древней, современной народной и научной медицине), *Бухара*, ISBN 978-9943-4005-4-2, <http://prostivelec.narod.ru/index/0-2>
251. Zhang, B., Chen, W., Liu, L., Wang, J., Zhao, Z.G. (2014). 超声波辅助提取对甜菜红的量及其活性的影响. *China Beet & Sugar*, 1, TS245.9, DOI: 10.3639/j.issn.1002-0551.2014.01.003
252. KAZIMIERCZAK, R., JABŁOŃSKA, P., REMBIAŁKOWSKA, E. (2014). Analysis of organic and conventional beetroot juice assortment in Warsaw shops and consumer sensory evaluation of selected products. *Building Organic Bridges*, 3, 917-920.
253. Székely, D., Szalóki-Dorkó, L., Stéger-Máté, M., Szabó-Nótin, B., Ivanics, J., Monspart-Sényi, J. (2014). Distribution of antioxidant components in roots of different red beets (*Beta vulgaris* L.) cultivars. *Acta Alimentaria*, 43(Supplement 1), 164-171.
254. Manar, M. A., Mohammed, F. F., Amany, A. (2014). Effect of different beef sausage formulas on rat liver with focusing on their nitrosodiethylamine content. *Life Science Journal*, 11(12): 830-840.

255. ДУДАРЕВА, Л. В., КОЛЕСНИКОВА, Е. В., Возненко, А. Н., МАКАРОВА, Л. Е., ОЗОЛИНА, Н. В. (2014). АНТИОКСИДАНТНЫЕ СВОЙСТВА ФЕНОЛСОДЕРЖАЩИХ ЭКСТРАКТОВ ИЗ ВАКУОЛЯРНОГО СОКА СТОЛОВОЙ СВЕКЛЫ (BETA VULGARIS L.) ПОСЛЕ КИСЛОТНОГО ГИДРОЛИЗА. *Химия растительного сырья*, (3).
256. Gandía-Herrero, F., Escribano, J., & García-Carmona, F. (2015). Biological Activities of Plant Pigments Betalains. *Critical reviews in food science and nutrition*, DOI:10.1080/10408398.2012.740103.
257. Amirasgari, N., & Mirsaedghazi, H. (2015). Microfiltration of Red Beet Juice Using Mixed Cellulose Ester Membrane. *Journal of Food Processing and Preservation*. DOI: 10.1111/jfpp.12269
258. Al-Asmari, A. K., Al-Elawi, A. M., Athar, M. T., Tariq, M., Al Eid, A., & Al-Asmari, S. (2015). A Review of Hepatoprotective Plants Used in Saudi Traditional Medicine. *Evidence-Based Complementary and Alternative Medicine*, (in press)
259. Račkauskienė, I., Pukalskas, A., Venskutonis, P. R., Fiore, A., Troise, A. D., Fogliano, V. (2015). Effects of beetroot (*Beta vulgaris*) preparations on the Maillard reaction products in milk and meat-protein model systems. *Food Research International*, 70, 31-39.
260. Méndez-Lagunas, L., García-Lucas, K., Rodríguez-Ramírez, J., Campanella, O. H., Patel, B. K., Sandoval-Torres, S. (2013). Physical properties of spray dried pitaya. *Proceedings of AFSIA/EFCE WP Drying, Eurodring '2013*, Paris
261. Wruss, J., Waldenberger, G., Huemer, S., Uygun, P., Lanzerstorfer, P., Müller, U., Hoglinger, O., Weghuber, J. (2015). Compositional characteristics of commercial beetroot products and beetroot juice prepared from seven beetroot varieties grown in Upper Austria. *Journal of Food Composition and Analysis*, 42, 46-55.
262. Clifford, T., Howatson, G., West, D. J., Stevenson, E. J. (2015). The Potential Benefits of Red Beetroot Supplementation in Health and Disease. *Nutrients*, 7(4), 2801-2822.
263. Kavalcová, P., Bystrická, J., Tomáš, J., Karovičová, J., Kovarovič, J., Lenková, M. (2015). The content of total polyphenols and antioxidant activity in red beetroot. *Potravinárstvo*, 9(1), 77-83.
264. Wightman, E. L., Haskell-Ramsay, C. F., Thompson, K. G., Blackwell, J. R., Winyard, P. G., Forster, J., Jones, A.M., Kennedy, D. O. (2015). Dietary nitrate modulates cerebral blood flow parameters and cognitive performance in humans: A double-blind, placebo-controlled, crossover investigation. *Physiology & behavior*, 149, 149-158.
265. Koss-Mikołajczyk, I., Kusznierevicz, B., Namieśnik, J., Bartoszek, A. (2015). Juices from non-typical edible fruits as health-promoting acidity regulators for food industry. *LWT-Food Science and Technology*. doi:10.1016/j.lwt.2015.06.072
266. Caldas-Cueva, J. P., Morales, P., Ludeña, F., Betalleluz-Pallardel, I., Chirinos, R., Noratto, G., Campos, D. (2015). Stability of Betacyanin Pigments and Antioxidants in Ayrampo (*Opuntia soehrensii* Britton and Rose) Seed Extracts and as a Yogurt Natural Colorant. *Journal of Food Processing and Preservation*. DOI: 10.1111/jfpp.12633. ISSN: 1745-4549
267. Guiné, R., Ana Rita, R., Gonçalves, F., Correia, P., (2015). Chemical and sensorial properties of beetroot jam. ICEUBI2015 - *International Conference of Engineering: Engineering for Society 2015 – 2-4 Dec 2015 – University of Beira Interior – Covilhã*, Portugal
268. Dias, M. I., Sousa, M. J., Alves, R. C., Ferreira, I. C. (2015). Exploring plant tissue culture to improve the production of phenolic compounds: A review. *Industrial Crops and Products*. doi:10.1016/j.indcrop.2015.12.016. ISSN: 0926-6690
269. Paciulli, M., Medina-Meza, I. G., Chiavaro, E., Barbosa-Cánovas, G. V. (2015). Impact of Thermal and High Pressure Processing on Quality Parameters of Beetroot (*Beta*

- Vulgaris L.). *LWT-Food Science and Technology*. doi:10.1016/j.lwt.2015.12.029. ISSN: 0023-6438
270. Reis, A., Kleinowski, A.M., Klein, F.R.S., Telles, R.T., do Amarante, L., Braga, E.J.B., (2015). Light quality on the in vitro growth and production of pigments in the genus *Alternanthera*. *Journal of Crop Science and Biotechnology*, 18(5), 349-357.
  271. Lim, T.K., (2016). *Beta vulgaris*. In *Edible Medicinal and Non-Medicinal Plants* (pp. 26-68). Springer Netherlands.
  272. da Silva, D.V.T., de Oliveira Silva, F., Perrone, D., Pierucci, A.P.T.R., Conte-Junior, C.A., da Silveira Alvares, T., Del Aguila, E.M., Paschoalin, V.F. (2016). Physicochemical, nutritional, and sensory analyses of a nitrate-enriched beetroot gel and its effects on plasmatic nitric oxide and blood pressure. *Food & Nutrition Research*, 60: 29909 - <http://dx.doi.org/10.3402/fnr.v60.29909>.
  273. Clifford, T., Constantinou, C.M., Keane, K.M., West, D.J., Howatson, G. Stevenson, E.J., (2016). The plasma bioavailability of nitrate and betanin from *Beta vulgaris rubra* in humans. *European journal of nutrition*, pp.1-10.
  274. Vasconcellos, J., Conte-Junior, C., Silva, D., Pierucci, A.P., Paschoalin, V., Alvares, T.S. (2016). Comparison of total antioxidant potential, and total phenolic, nitrate, sugar, and organic acid contents in beetroot juice, chips, powder, and cooked beetroot. *Food Science and Biotechnology*, 25(1), 79-84.
  275. Guiné, R., Roque, A.R., Gonçalves, F., Correia, P. (2016). Development of an innovative jam based on beetroot. *Journal of Food Science Research*, 1(2), 49-53.
  276. Değirmencioglu, N., Gurbuz, O., Şahan, Y. (2016). The Monitoring, Via an In Vitro Digestion System, of the Bioactive Content of Vegetable Juice Fermented with *Saccharomyces Cerevisiae* and *Saccharomyces Boulardii*. *Journal of Food Processing and Preservation*. DOI: 10.1111/jfpp.12704
  277. Eisinaite, V., Juraite, D., Schroën, K., Leskauskaite, D. (2016). Preparation of stable food-grade double emulsions with a hybrid premix membrane emulsification system. *Food Chemistry*, 206, 59-66.
  278. Jha, R., Gupta, R.K. (2016). Development of energy drink containing *Aegle marmelos*, *Rubia cordifolia*, *Phyllanthus emblica* and *Beta vulgaris* and its phytochemical, nutritive and antimicrobial analysis. *Journal of Pharmacognosy and Phytochemistry*, 5(1), 186-193.
  279. dos Santos, C.D., Scherer, R.K., Cassini, A.S., Marczak, L.D.F., Tessaro, I.C. (2016). Clarification of red beet stalks extract by microfiltration combined with ultrafiltration. *Journal of Food Engineering*, 185, 35-41.
  280. Tumbas Šaponjac, V., Čanadanović-Brunet, J., Četković, G., Jakišić, M., Djilas, S., Vulić, J., Stajčić, S. (2016). Encapsulation of Beetroot Pomace Extract: RSM Optimization, Storage and Gastrointestinal Stability. *Molecules*, 21(5), 584.
  281. Petrova, I., Petkova, N., Ivanov, I. (2016). Five edible flowers—valuable source of antioxidants in human nutrition. *International Journal of Pharmacognosy and Phytochemical Research*. 8(4), 604-610.
  282. Amirasgari, N., Mirsaedghazi, H. (2016). Non-thermal Production of Natural betalain Colorant Concentrate from Red Beet Extract by Using the Osmotic Distillation. *Nutrition and Food Sciences Research*, 3(2), 27-34.
  283. Ahmad, R., Ahmad, N., Naqvi, A.A., Shehzad, A., Al-Ghamdi, M.S. (2016). Role of traditional Islamic and Arabic plants in cancer therapy. *Journal of Traditional and Complementary Medicine*. DOI: 10.1016/j.jtcme.2016.05.002

**Georgiev, V., Ivanov, I., & Pavlov, A. (2010). Obtaining and selection of *Pancreatium maritimum* L. in vitro cultures with acetylcholinesterase inhibitory action. *Biotechnology & Biotechnological Equipment*, 24(sup1), 149-154..**

## ЦИТИРАНА В:

284. Mohamed Al-Ashkar, Nagla (2013). Estudio etnobotánico de la provincia de Mtruh (Egipto). [Thesis Doctoral] Tesis inédita de la Universidad Complutense de Madrid, Facultad de Farmacia, Departamento de Farmacología. <http://eprints.ucm.es/21283/>
285. Diamond, A., Desgagné-Penix, I. (2015). Metabolic engineering for the production of plant isoquinoline alkaloids. *Plant biotechnology journal*. DOI: 10.1111/pbi.12494. ISSN: 1467-7652.

**Weber J., Georgiev V., Haas C., Bley T., Pavlov A. (2010): Ploidy levels in *Beta vulgaris* (red beet) plant organs and *in vitro* systems. *Engineering in Life Sciences*, 10(2), 139 - 147**

## ЦИТИРАНА В:

286. Pavokovic, D, Krsnik-Rasol, M. (2011). Complex biochemistry and biotechnological production of betalains. *Food Technol. Biotechnol.* 49 (2): 145–155.
287. Neelwarne, B. (2012). Red beet hairy root cultures. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 199-249.
288. Neelwarne, B. (2012). Cell and tissue culture studies in *Beta vulgar* L. In: *Red Beet Biotechnology* (Neelwarne, B. ed.). Springer US, ISBN: 978-1-4614-3458-0, pp: 175-198.
289. Sharma P., Padh H., Shrivastava N. (2013). Hairy root cultures: A suitable biological system for studying secondary metabolic pathways in plants. *Engineering in Life Sciences*, 13(1): 62-75; DOI: 10.1002/elsc.201200030, ISSN: 1618-2863.
290. Silva, R. A. L., Pio, L. A. S., Pasqual, M., de Oliveira, A. C. L., Rodrigues, F. A., & de Oliveira, S. (2014). An assessment of software for flow cytometry analysis in banana plants. *Semina: Ciências Agrárias*, 35(2), 775-780.
291. Reis, A. (2013). Betalains synthesis induced by light in *Alternanthera* genus species. 102 f. Dissertação (Mestrado em Biologia) - Universidade Federal de Pelotas, Pelotas, 2013. <http://repositorio.ufpel.edu.br/handle/123456789/2001>
292. Lambert, E. (2011). Development of tools for the *in vitro* conservation and modulation of saponin production of four medicinal *Maesa* spp. PhD Thesis, Ghent University. Faculty of Bioscience Engineering, Ghent, Belgium. ISBN: 9789059894242

**Georgiev M., Georgiev V., Penchev P., Antonova D., Pavlov A., Ilieva M. and Popov S. (2010): Volatile metabolic profiles of cell suspension cultures of *Lavandula vera*, *Nicotiana tabacum* and *Helianthus annuus*, cultivated under different regimes. *Engineering in Life Sciences*, 10(2), 148 – 157**

## ЦИТИРАНА В:

293. Cai, Z., Kastell, A., Knorr, D., Smetanska, I. (2012). Exudation: an expanding technique for continuous production and release of secondary metabolites from plant cell suspension and hairy root cultures. *Plant Cell Reports*, 31(3): 461-477. ISSN: 0721-7714.
294. Gonçalves, S., Romano, A. (2013). *In vitro* culture of lavenders (*Lavandula* spp.) and the production of secondary metabolites. *Biotechnology Advances*, 31(2), 166-174, DOI: 10.1016/j.biotechadv.2012.09.006. ISSN: 0734-9750.
295. Malik, S., Hossein Mirjalili, M., Fett-Neto, A. G., Mazzafera, P., Bonfill, M. (2013). Living between two worlds: two-phase culture systems for producing plant secondary metabolites. *Critical Reviews in Biotechnology*, 33(1): 1-22, doi: 10.3109/07388551.2012.659173. ISSN: 0738-8551.

Ivanov, I., Georgiev, V., Georgiev, M., Ilieva, M. and Pavlov, A. (2011): Galanthamine and related alkaloids production by *Leucojum aestivum* L. shoot culture using a temporary immersion technology. *Applied Biochemistry and Biotechnology*, 163(2), 268-277

## ЦИТИРАНА В:

296. Erdogan Orhan, I., Orhan, G., Gurkas, E. (2011). An overview on natural cholinesterase inhibitors - A multi-targeted drug class - and their mass production. *Mini Reviews in Medicinal Chemistry*, 11(10): 836-842. doi:10.2174/138955711796575434
297. Schumann, A., Berkov, S., Claus, D., Gerth, A., Bastida, J., Codina, C. (2012). Production of galanthamine by *Leucojum aestivum* shoots grown in different bioreactor systems. *Applied Biochemistry and Biotechnology*, Doi: 10.1007/s12010-012-9743-3. ISSN: 0273-2289.
298. Ptak, A., Simlat, M., Kwiecień, M., Laurain-Mattar, D. (2013). *Leucojum aestivum* plants propagated in in vitro bioreactor culture and on solid media containing cytokinins. *Engineering in Life Sciences*, 13(3): 261–270, DOI: 10.1002/elsc.201200109. ISSN: 1618-2863.
299. Froestl, W., Muhs, A., Pfeifer, A. (2013). Cognitive Enhancers (Nootropics). Part 2: Drugs Interacting with Enzymes. *Journal of Alzheimer's Disease*, 33(3): 547-658.
300. Russo, P., Frustaci, A., Del Bufalo, A., Fini, M., & Cesario, A. (2013). From Traditional European Medicine to Discovery of New Drug Candidates for the Treatment of Dementia and Alzheimers Disease: Acetylcholinesterase Inhibitors. *Current medicinal chemistry*, 20(8), 976-983.
301. Ptak, A., El Tahchy, A., Skrzypek, E., Wójtowicz, T., Laurain-Mattar, D. (2013). Influence of auxins on somatic embryogenesis and alkaloid accumulation in *Leucojum aestivum* callus. *Central European Journal of Biology*, 8(6), 591-599.
302. Jin, Z. (2013). Amaryllidaceae and Scelletium alkaloids. *Natural product reports*, 30: 849-868; DOI: 10.1039/C3NP70005D
303. Mišić, D., Šiler, B., Skorić, M., Djurickovic, M. S., Nestorović Živković, J., Jovanović, V., Giba, Z. (2013). Secoiridoid glycosides production by *Centaureum maritimum* (L.) Fritch hairy root cultures in temporary immersion bioreactor. *Process Biochemistry*, 48(10), 1587-1591.
304. Ptak, A. (2014). *Leucojum aestivum* L. in vitro bulbs induction and acclimatization. *Central European Journal of Biology*, 9(11), 1011-1021.
305. Xiang, Q., Chen, Y., & Chen, Z. (2014). Sensitive and simultaneous determination of active components in Lycoris Radiata and rat plasma by HPLC with fluorescence detection. *Analytical Methods*. DOI: 10.1039/C4AY01793E
306. Valdez-Tapia, R., Capataz-Tafur, J., López-Laredo, A. R., Trejo-Espino, J. L., & Trejo-Tapia, G. (2014). Effect of immersion cycles on growth, phenolics content, and antioxidant properties of Castilleja tenuiflora shoots. *In Vitro Cellular & Developmental Biology-Plant*, 50(4), 471-477.
307. Zhang, Y., Li, Y., Zhou, J., Chen, N., Wang, M., Dong, Z., Gao, C. and Zhong, Y. (2014). Effect of precursor on growth and accumulation of alkaloids of Lycoris radiata suspension cells. *Chinese Journal of Biotechnology*, 30(2), 247–254.
308. Nath, S., Saha, P.S. and Jha, S. (2014). Medicinal Bulbous Plants: Biology, Phytochemistry and Biotechnology. In: “Bulbous Plants Biotechnology (K.G. Ramawat and J.M. Mérillon Eds.)”. CRC Press, Boca Raton, USA, ISBN: 13: 978-1-4665-8968-1, pp. 338-369.
309. Gao, M., Jiang, W., Wei, S., Lin, Z., Cai, B., Yang, L., Luo, C., He, X., Tan, J., Chen, L. (2015). High-efficiency propagation of Chinese water chestnut [*Eleocharis dulcis* (Burm. f.) Trin. ex Hensch] using a temporary immersion bioreactor system. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 121(3), 761-772.

310. Saliba, S., Ptak, A., Boisbrun, M., Spina, R., Dupire, F., Laurain-Mattar, D. (2016). Stimulating effect of both 4'-O-methylnorbeldadine feeding and temporary immersion conditions on galanthamine and lycorine production by *Leucojum aestivum* L. bulblets. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201600045

**Georgiev, V., Marchev, A., Haas, C., Weber, J., Nikolova, M. and Pavlov, A. (2011): Production of oleanolic and ursolic acids by callus cultures of *Salvia tomentosa* Mill. *Biotechnology & Biotechnological Equipment*, 25(4), 34-38**

**ЦИТИРАНА В:**

311. Vázquez Cisneros, I. (2014). Producción de embriones somáticos de *Bursera linanoe* (La Llave) Rzed., Calderón & Medina, en biorreactores de sistema de inmersión temporal. Tesis (Maestría en Ciencias, especialista Forestal).- Colegio de Postgraduados, 2014, Consejo Nacional de Ciencia y Tecnología (CONACyT).

**Marchev, A., Georgiev, V., Ivanov, I., Badjakov, I., Pavlov, A. (2011): Two-phase temporary immersion system for *Agrobacterium rhizogenes* genetic transformation of sage (*Salvia tomentosa* Mill.). *Biotechnology Letters*, 33(9), 1873-1878**

**ЦИТИРАНА В:**

312. Herman, E.B. (2011). Hairy-root initiation using Amberlite XAD-4 and temporary immersion culture. *Agricell Report*, 57(2): 12-12.
313. Mallón, R., Vieitez, A. M., Vidal, N. (2013). High-efficiency *Agrobacterium*-mediated transformation in *Quercus robur*: selection by use of a temporary immersion system and assessment by quantitative PCR. *Plant Cell, Tissue and Organ Culture*, 114: 171-185.
314. Mihaylova, D., Ivanova, M., Bahchevanska, S., & Krastanov, A. (2013). Chemical composition and antioxidant activity of ultrasound-assisted extract of the endemic plant *Haberlea rhodopensis* Friv. *Journal of Food Science and Technology*, DOI: 10.1007/s13197-013-1240-3.
315. Teneva-Angelova, T., Beshkova, D. (2015). Resistance profile of plant-derived lactic acid bacteria against herb extracts. *Scientific Bulletin. Series F. Biotechnologies*, 19, 109-116. ISSN 2285-1364
316. Yancheva, S., Mavromatis, P., Georgieva, L., 2016. Polyphenol profile and antioxidant activity of extracts from olive leaves. *Journal of Central European Agriculture*, 17(1), 154-163.

**Stancheva, N., Weber, J., Schulze, J., Alipieva, K., Ludwig-Müller, J., Haas, C., Georgiev, V., Bley T., Georgiev M. (2011): Phytochemical and flow cytometric analyses of Devil's claw cell cultures. *Plant Cell, Tissue and Organ Culture*, 105(1), 79-84**

**ЦИТИРАНА В:**

317. Sarkar, D., Tiwari, J., Sharma, S., Poonam, Sharma, S., Gopal, J., Singh, B., Luthra, S., Pandey, S., Pattanayak, D. (2011) Production and characterization of somatic hybrids between *Solanum tuberosum* L. and *S. pinnatisectum* Dun. *Plant Cell, Tissue and Organ Culture*, 107: 427-440.

318. Sheng, X., Zhao, Z., Yu, H., Wang, J., Xiaohui, Z., Gu, H. (2011). Protoplast isolation and plant regeneration of different doubled haploid lines of cauliflower (*Brassica oleracea* var. *botrytis*). *Plant Cell, Tissue and Organ Culture*, 107: 513-520.
319. Rosa, Y., Dornelas, M. (2012). In vitro plant regeneration and de novo differentiation of secretory trichomes in *Passiflora foetida* L. (Passifloraceae). *Plant Cell, Tissue and Organ Culture*, 108: 91-99. ISSN: 0167-6857.
320. Gómez-Aguirrea, Y.A., Zamilpab, A., González-Cortazarb, M., Trejo-Tapia, G. (2012). Adventitious root cultures of *Castilleja tenuiflora* Benth. as a source of phenylethanoid glycosides. *Industrial Crops and Products*, 36(1), 188-195. ISSN: 0926-6690.
321. Eman, A.A. (2012). Initiation of pharmaceutical factories depending on more application of biotechnology on some medicinal plants review article (In vitro production of some antioxidant, analgesic, antibacterial, antidiabetic agents). *Research Journal of Recent Sciences*, 1: 398-404. ISSN: 2277-2502.
322. Dehghan, E., Häkkinen, S.T., Oksman-Caldentey, K.-M., Ahmadi, F.S. (2012). Production of tropane alkaloids in diploid and tetraploid plants and in vitro hairy root cultures of Egyptian henbane (*Hyoscyamus muticus* L.). *Plant Cell, Tissue and Organ Culture*, 110: 35-40, ISSN: 0167-6857.
323. López-Laredo, A., Gómez-Aguirre, Y., Medina-Pérez, V., Salcedo-Morales, G., Sepúlveda-Jiménez, G., Trejo-Tapia, G. (2012). Variation in antioxidant properties and phenolics concentration in different organs of wild growing and greenhouse cultivated *Castilleja tenuiflora* Benth. *Acta Physiologiae Plantarum*, 34, 2435–2442, Doi: 10.1007/s11738-012-1025-8. ISSN: 0137-5881.
324. Günther, S. (2011). Population structure and dynamics of polyphosphate accumulating organisms in a communal wastewater treatment plant. (Doctoral dissertation). Fakultät Mathematik und Naturwissenschaften der Technischen Universität Dresden, Leipzig, 2011
325. Wilson, S. A., Cummings, E. M., & Roberts, S. C. (2014). Multi-scale engineering of plant cell cultures for promotion of specialized metabolism. *Current Opinion in Biotechnology*, 29, 163-170.
326. Grąbkowska, R., Mielicki, W., Wielanek, M., Wysokińska, H. (2014). Changes of phenylethanoid and iridoid glycoside distribution in various tissues of shoot cultures and regenerated plants of *Harpagophytum procumbens* (Burch.) DC. ex Meisn. *South African Journal of Botany*, 95, 159-164.
327. Santoso, A. M. (2014, November). OPTIMASI UMUR KALUS SEBAGAI DONOR SEL TERHADAP BIOMASSA DAN KADAR SAPONIN PADA KULTUR AGREGAT SEL *Talinum paniculatum* (Jacq) Gaertn. In *Prosiding Seminar Biologi* (Vol. 11, No. 1).
328. Grąbkowska, R., Matkowski, A., Grzegorzczak-Karolak, I., Wysokińska, H. (2016). Callus cultures of *Harpagophytum procumbens* (Burch.) DC. ex Meisn.; production of secondary metabolites and antioxidant activity. *South African Journal of Botany*, 103, 41-48. ISSN: 0254-6299

**Georgiev, V., Ivanov, I., Berkov, S., Pavlov A. (2011): Alkaloids biosynthesis by *Pancratium maritimum* L. shoots in liquid culture. *Acta Physiologiae Plantarum*, 33(3), 927-933**

#### ЦИТИРАНА В:

Васил Георгиев  
e-mail: vasgeorgiev@gmail.com



329. Baskaran, P., Ncube, B., Van Staden, J. (2012). In vitro propagation and secondary product production by *Merwillia plumbea* (Lindl.) Speta. *Plant Growth Regulation*, 67(3), 235-245. ISSN: 0167-6903.
330. Russo, P., Frustaci, A., Del Bufalo, A., Fini, M., & Cesario, A. (2013). From Traditional European Medicine to Discovery of New Drug Candidates for the Treatment of Dementia and Alzheimers Disease: Acetylcholinesterase Inhibitors. *Current medicinal chemistry*, 20(8), 976-983.
331. Baskaran, P., Singh, S., Van Staden, J. (2013). In vitro propagation, proscillaridin A production and antibacterial activity in *Drimia robusta*. *Plant Cell, Tissue and Organ Culture*, 114: 259-267. DOI 10.1007/s11240-013-0322-2.
332. Jin, Z. (2013). Amaryllidaceae and Sceletium alkaloids. *Natural product reports*, 30: 849-868; DOI: 10.1039/C3NP70005D
333. Di Maio, A., De Castro, O. (2013). Development and characterization of 21 microsatellite markers for *Pancratium maritimum* L.(Amaryllidaceae). *Conservation Genetics Resources*, 5: 911-914. DOI 10.1007/s12686-013-9931-7
334. Pourebad, N., Motafakkerazad, R., Kosari-Nasab, M., Akhtar, N. F., Movafeghi, A. (2015). The influence of TDZ concentrations on in vitro growth and production of secondary metabolites by the shoot and callus culture of *Lallemantia iberica*. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 1-9.
335. GÜMÜŞ, C. (2015). Kum zambağı (*Pancratium maritimum* L.) bitkisinde yapılan araştırmalar üzerinde bir inceleme. *Derim*, 32(1), 89-105. ISSN : 1300-3496
336. Baskaran, P., Kumari, A., Naidoo, D., Van Staden, J. (2015). In vitro propagation and biochemical changes in *Aloe pruinosa*. *Industrial Crops and Products*, 77, 51-58. ISSN: 0926-6690
337. Kumari, A., Baskaran, P., & Van Staden, J. (2016). In vitro propagation and antibacterial activity in *Cotyledon orbiculata*: a valuable medicinal plant. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 124(1), 97-104.
338. Giovino, A., Domina, G., Bazan, G., Campisi, P., & Scibetta, S. (2015). Taxonomy and conservation of *Pancratium maritimum* (Amaryllidaceae) and relatives in the Central Mediterranean. *Acta Botanica Gallica*, 162(4), 289-299. ISSN: 1253-8078
339. Baskaran, P., Kumari, A., Naidoo, D., Van Staden, J. (2016). In vitro propagation and ultrastructural studies of somatic embryogenesis of *Ledebouria ovatifolia*. *In Vitro Cellular & Developmental Biology-Plant*, DOI: 10.1007/s11627-016-9762-9.

**Ivanov, I., Georgiev, V., Berkov S., Pavlov A. (2012). Alkaloid patterns in *Leucojum aestivum* shoot culture cultivated at temporary immersion conditions. *J. Plant Physiol.*, 169, 206-211**

#### ЦИТИРАНА В:

340. Watt, M. P. (2012). The status of temporary immersion system (TIS) technology for plant micropropagation. *African Journal of Biotechnology*, 11(76), 14025-14035. ISSN 1684-5315.
341. Ptak, A., Simlat, M., Kwiecień, M., Laurain-Mattar, D. (2013). *Leucojum aestivum* plants propagated in in vitro bioreactor culture and on solid media containing cytokinins. *Engineering in Life Sciences*, 13(3): 261–270, DOI: 10.1002/elsc.201200109. ISSN: 1618-2863.

342. Tasheva, K., Kosturkova, G. (2013). Role of biotechnology for protection of endangered medicinal plants. In: Environmental Biotechnology - New Approaches and Prospective Applications, (Petre, M. ed.). InTech Publisher, ISBN: 978-953-51-0972-3, pp: 235-285.
343. Russo, P., Frustaci, A., Del Bufalo, A., Fini, M., & Cesario, A. (2013). From Traditional European Medicine to Discovery of New Drug Candidates for the Treatment of Dementia and Alzheimers Disease: Acetylcholinesterase Inhibitors. *Current medicinal chemistry*, 20(8), 976-983.
344. Ptak, A., El Tahchy, A., Skrzypek, E., Wójtowicz, T., Laurain-Mattar, D. (2013). Influence of auxins on somatic embryogenesis and alkaloid accumulation in *Leucojum aestivum callus*. *Central European Journal of Biology*, 8(6), 591-599.
345. Jin, Z. (2013). Amaryllidaceae and Sceletium alkaloids. *Natural product reports*, 30: 849-868; DOI: 10.1039/C3NP70005D
346. Balogun, M. and Gueye, B. (2014). Status and Prospects of Biotechnology Applications to Conservation, Propagation and Genetic Improvement of Yam. In: "Bulbous Plants Biotechnology (K.G. Ramawat and J.M. Mérillon Eds.)". CRC Press, Boca Raton, USA, ISBN: 13: 978-1-4665-8968-1, pp. 92-112.
347. Balogun, M. O., Maroya, N., & Asiedu, R. (2014). Status and prospects for improving yam seed systems using temporary immersion bioreactors. *African Journal of Biotechnology*, 13(15), 1614-1622.
348. Petrova, M., Zayova, E., Todorova, M., Stanilova, M. (2014). ENHANCEMENT OF ARNICAMONTANA IN-VITRO SHOOT MULTIPLICATION AND SESQUITERPENE LACTONES PRODUCTION USING TEMPORARY IMMERSION SYSTEM. *International Journal of Pharmaceutical Sciences and Research*, 5(12), 5170.
349. Saliba, S., Ptak, A., & Laurain-Mattar, D. (2015). 4'-O-methylnorbelleadine feeding enhances galanthamine and lycorine production by *Leucojum aestivum* L. shoot cultures. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201500008
350. Shawky, E., Abou-Donia, A. H., Darwish, F. A., Toaima, S. M., Takla, S. S., Pigni, N. B., Bastida, J. (2015). HPTLC and GC/MS Study of Amaryllidaceae Alkaloids of Two Narcissus Species. *Chemistry & biodiversity*, 12(8), 1184-1199. ISSN: 1612-1880
351. Diamond, A., Desgagné-Penix, I. (2015). Metabolic engineering for the production of plant isoquinoline alkaloids. *Plant biotechnology journal*. DOI: 10.1111/pbi.12494. ISSN: 1467-7652
352. Svinyarov, I., Keremedchieva, R., Bogdanov, M.G., (2016). Ionic liquid-supported solid-liquid extraction of bioactive alkaloids. IV. New HPLC method for quantitative determination of galantamine in *Leucojum aestivum* L.(Amaryllidaceae). *Separation Science and Technology*, DOI:10.1080/01496395.2016.1171783.
353. Saliba, S., Ptak, A., Boisbrun, M., Spina, R., Dupire, F., Laurain-Mattar, D. (2016). Stimulating effect of both 4'-O-methylnorbelleadine feeding and temporary immersion conditions on galanthamine and lycorine production by *Leucojum aestivum* L. bulblets. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201600045

**Georgiev, V., Ivanov, I., Berkov, S., Ilieva, M., Georgiev, M., Gocheva, T., Pavlov, A. (2012). Galanthamine production by *Leucojum aestivum* L. shoot culture in a modified bubble column bioreactor with internal sections. *Eng. Life Sci.*, 12, 1-10.**

#### ЦИТИРАНА В:

354. Ptak, A., Simlat, M., Kwiecień, M., Laurain-Mattar, D. (2013). *Leucojum aestivum* plants propagated in in vitro bioreactor culture and on solid media containing cytokinins.

- Engineering in Life Sciences*, 13(3): 261–270, DOI: 10.1002/elsc.201200109. ISSN: 1618-2863.
355. Sharma, P., Padh, H., Shrivastava, N. (2013). Hairy root cultures: A suitable biological system for studying secondary metabolic pathways in plants. *Engineering in Life Sciences*, 13(1): 62-75; DOI: 10.1002/elsc.201200030, ISSN: 1618-2863.
356. Tasheva, K., Kosturkova, G. (2013). Role of biotechnology for protection of endangered medicinal plants. In: *Environmental Biotechnology - New Approaches and Prospective Applications*, (Petre, M. ed.). InTech Publisher, ISBN: 978-953-51-0972-3, pp: 235-285.
357. Jin, Z. (2013). Amaryllidaceae and Sceletium alkaloids. *Natural product reports*, 30: 849-868; DOI: 10.1039/C3NP70005D
358. Takos, A.M., Rook, F. (2013). Towards a molecular understanding of the biosynthesis of Amaryllidaceae alkaloids in support of their expanding medical use. *International Journal of Molecular Sciences*, 14(6): 11713-11741.
359. Ptak, A. (2014). *Leucojum aestivum* L. in vitro bulbs induction and acclimatization. *Central European Journal of Biology*, 9(11), 1011-1021.
360. Zhang, Y., Li, Y., Zhou, J., Chen, N., Wang, M., Dong, Z., Gao, C. and Zhong, Y. (2014). Effect of precursor on growth and accumulation of alkaloids of *Lycoris radiata* suspension cells. *Chinese Journal of Biotechnology*, 30(2), 247–254.
361. Nath, S., Saha, P.S. and Jha, S. (2014). Medicinal Bulbous Plants: Biology, Phytochemistry and Biotechnology. In: “*Bulbous Plants Biotechnology* (K.G. Ramawat and J.M. Mérillon Eds.)”. CRC Press, Boca Raton, USA, ISBN: 13: 978-1-4665-8968-1, pp. 338-369.
362. Shawky, E., Abou-Donia, A. H., Darwish, F. A., Toaima, S. M., Takla, S. S., Pigni, N. B., Bastida, J. (2015). HPTLC and GC/MS Study of Amaryllidaceae Alkaloids of Two Narcissus Species. *Chemistry & biodiversity*, 12(8), 1184-1199. ISSN: 1612-1880

**Steingroewer J., Bley T., Georgiev V., Ivanov I., Lenk F., Marchev A. and Pavlov A. (2013): Bioprocessing of differentiated plant in vitro systems. *Engineering in Life Sciences*. 13(1): 36-38.**

#### ЦИТИРАНА В:

363. Mišić, D., Šiler, B., Skorić, M., Djurickovic, M. S., Nestorović Živković, J., Jovanović, V., Giba, Z. (2013). Secoiridoid glycosides production by *Centaureum maritimum* (L.) Fritch hairy root cultures in temporary immersion bioreactor. *Process Biochemistry*, 48(10), 1587-1591.
364. Davies, K. M., & Deroles, S. C. (2014). Prospects for the use of plant cell cultures in food biotechnology. *Current opinion in biotechnology*, 26, 133-140.
365. Gallego, A., Ramirez-Estrada, K., Vidal-Limon, H. R., Hidalgo, D., Lalaleo, L., Kayani, W. K., Cusido, R.M. & Palazon, J. (2014). Biotechnological production of centellosides in cell cultures of *Centella asiatica* (L) Urban. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201300164
366. Balogun, M. O., Maroya, N., & Asiedu, R. (2014). Status and prospects for improving yam seed systems using temporary immersion bioreactors. *African Journal of Biotechnology*, 13(15), 1614-1622.
367. Sharma, P., Sharma, S., Yadav, S., Srivastava, A., Purohit, I., Shrivastava, N. (2014). Plant derived bioactive molecules: culture vessels to bioreactors In *Production of Biomass and Bioactive Compounds Using Bioreactor Technology* (K.Y. Paek, H.N. Murthy and J.J. Zhong eds.). Springer Netherlands. pp. 47-62, ISBN 978-94-017-9223-3

368. Raj, D., Kokotkiewicz, A., Luczkiewicz, M. (2015). Production of therapeutically relevant indolizidine alkaloids in *Securinega suffruticosa* in vitro shoots maintained in liquid culture systems. *Applied biochemistry and biotechnology*, 175(3), 1576-1587.
369. Murthy, H. N., Dandin, V. S., Paek, K. Y. (2015). Tools for biotechnological production of useful phytochemicals from adventitious root cultures. *Phytochemistry Reviews*, 1-17.
370. Balogun, M., Maroya, N., Asiedu, R., Taiwo, J. (2014). Novelty, rapidity and quality in seed yam production: the case of Temporary Immersion Bioreactors. *YIFSWA Working Paper Series*, 6, Ibadan, Nigeria. ISBN 978-978-8444-55-8
371. Park, Y. J., Thwe, A. A., Li, X., Kim, Y. J., Kim, J. K., Arasu, M. V., Al-Dhabi, N.A., Park, S. U. (2015). Triterpene and Flavonoid Biosynthesis and Metabolic Profiling of Hairy Roots, Adventitious Roots, and Seedling Roots of *Astragalus membranaceus*. *Journal of Agricultural and Food Chemistry*, 63(40), 8862-8869. ISSN: 0021-8561
372. Fei, L., Weathers, P. (2015). From leaf explants to hanging rooted plantlets in a mist reactor. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 1-10. ISSN: 0167-6857
373. Szopa, A., Kokotkiewicz, A., Marzec-Wróblewska, U., Bucinski, A., Luczkiewicz, M., Ekiert, H. (2016). Accumulation of dibenzocyclooctadiene lignans in agar cultures and in stationary and agitated liquid cultures of *Schisandra chinensis* (Turcz.) Baill. *Applied microbiology and biotechnology*, 100(9), 3965–3977.
374. Jaisi, A., Panichayupakaranant, P. (2016). Simultaneous heat shock and in situ adsorption enhance plumbagin production in *Plumbago indica* root cultures. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201500137
375. Rasche, S., Herwartz, D., Schuster, F., Jablonka, N., Weber, A., Fischer, R., Schillberg, S. (2016). More for less: Improving the biomass yield of a pear cell suspension culture by design of experiments. *Scientific Reports*, 6: 23371. DOI: 10.1038/srep23371
376. Quiala, E., Barbón, R., Capote, A., Pérez, N., Jiménez, E. (2016). In Vitro Mass Propagation of *Cymbopogon citratus* Stapf., a Medicinal Gramineae. In *Protocols for In Vitro Cultures and Secondary Metabolite Analysis of Aromatic and Medicinal Plants*, Second Edition, Humana Press. 445-457. ISBN: 978-1-4939-3330-3

**Georgiev V., Bley T. and Pavlov A. (2012): Bioreactors for the cultivation of red beet hairy roots. In: Red Beet Biotechnology, (B Neelwarne Ed.); Springer, New York, USA. ISBN 978-1-4614-3457-3, pp251-281.**

**ЦИТИРАНА В:**

377. Gansau, J. A., Mahmood, M. (2013). Growth characteristics and production of physalins from *Physalis minima* hairy roots in shake flasks. *Kasetsart J. (Nat. Sci.)*, 47: 748-759. ISSN: 0075-5192.

**Marchev, A., Georgiev, V., Ivanov, I., & Pavlov, A. (2012). Cultivation of diploid and tetraploid hairy roots of *Datura stramonium* L. in stirred tank bioreactor for tropane alkaloids production. *Journal of BioScience & Biotechnology*, 1(3).**

**ЦИТИРАНА В:**

378. Mehrotra, S., Srivastava, V., Rahman, L. U., Kukreja, A. K. (2015). Hairy root biotechnology—indicative timeline to understand missing links and future outlook. *Protoplasma*, 1-13. ISSN: 0033-183X.

**Ivanov, I., Georgiev, V., Berkov, S., Pavlov, A. (2013): Elicitation of galanthamine biosynthesis by *Leucojum aestivum* liquid shoot cultures. *Journal of Plant Physiology*, 170(12): 1122-1129.**

**ЦИТИРАНА В:**

379. Saliba, S., Ptak, A., Laurain-Mattar, D. (2015). 4'-O-methylnorbelladine feeding enhances galanthamine and lycorine production by *Leucojum aestivum* L. shoot cultures. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201500008.

**Georgiev, V., Marchev, A., Nikolova, M., Ivanov, I., Gochev, V., Stoyanova, A., Pavlov, A. (2013). Chemical compositions of essential oils from leaves and flowers of *Salvia ringens* Sibth. et Sm. growing wild in Bulgaria. *Journal of Essential Oil Bearing Plants*, 16(5), 624-629.**

**ЦИТИРАНА В:**

380. Alimpić, A., Pljevljakušić, D., Šavikin, K., Knežević, A., Čurčić, M., Veličković, D., Stević, T., Petrović, G., Matevski, V., Vukojević, J., Marković, S. (2015). Composition and biological effects of *Salvia ringens* (Lamiaceae) essential oil and extracts. *Industrial Crops and Products*, 76, 702-709. ISSN: 0926-6690.

**Marchev A., Haas C., Schulz S., Georgiev V., Steingroewer J., Bley T., Pavlov A. (2014): Sage in vitro cultures: a promising tool for the production of bioactive terpenes and phenolic substances. *Biotechnology Letters*, 36(2), 211-221.**

**ЦИТИРАНА В:**

381. Shafaei-Bajestani, N., Emami, S. A., Asili, J., & Tayarani-Najaran, Z. (2014). Anti-apoptotic Effect of Taxodione on Serum/Glucose Deprivation-Induced PC12 Cells Death. *Cellular and molecular neurobiology*, DOI: 10.1007/s10571-014-0085-2.
382. Siu, K. C., & Wu, J. Y. (2014). Enhanced release of tanshinones and phenolics by non-ionic surfactants from *Salvia miltiorrhiza* hairy roots. *Engineering in Life Sciences*, DOI: 10.1002/elsc.201400159
383. Alvarez, M. A. (2014). In Vitro Plant Cultures as Biofactories Chapter 4. In: "*Plant Biotechnology for Health (Alvarez, Maria Alejandra Ed.)*". Springer International Publishing, ISBN 978-3-319-05771-2, pp. 33-59.
384. Senthil, K., Jayakodi, M., Thirugnanasambantham, P., Lee, S. C., Duraisamy, P., Purushotham, P. M., Rajasekaran, K., Charles, S.N., Roy, I.M., Nagappan, A.K., Kim, G.S., Lee, Y.S., Natesan, S., Min, T.S., Yang, T. J. (2015). Transcriptome analysis reveals in vitro cultured *Withania somnifera* leaf and root tissues as a promising source for targeted withanolide biosynthesis. *BMC genomics*, 16(1), 14.
385. Bassolino, L., Giacomelli, E., Giovanelli, S., Pistelli, L., Cassetti, A., Damonte, G., Bisio, A., Ruffoni, B. (2015). Tissue culture and aromatic profile in *Salvia dolomitica* Codd. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 121(1), 83-95.
386. Luczkiewicz, M., Jesionek, A., Kokotkiewicz, A., Migas, P., Mardarowicz, M., Szreniawa-Sztajnert, A., Zabiegala, B., Bucinski, A. (2015). Production of essential oils

- from in vitro cultures of Caryopteris species and comparison of their concentrations with in vivo plants. *Acta Physiologiae Plantarum*, 37(3), 1-11.
387. Kračun-Kolarević, M., Dmitrović, S., Filipović, B., Perić, M., Mišić, D., Simonović, A., Todorović, S. (2015). Influence of sodium salicylate on rosmarinic acid, carnosol and carnosic acid accumulation by *Salvia officinalis* L. shoots grown in vitro. *Biotechnology letters*, 1-9.
388. Singh, P., Kalunke, R. M., Giri, A. P. (2015). Towards comprehension of complex chemical evolution and diversification of terpene and phenylpropanoid pathways in *Ocimum* species. *RSC Advances*, 5(129), 106886-106904. ISSN 2046-2069
389. Usano-Aleman, J., Palá-Paúl, J., Herráiz-Peñalver, D. (2015). Essential oil yields and qualities of different clonal lines of *Salvia lavandulifolia* monitored in Spain over four years of cultivation. *Industrial Crops and Products*. ISSN: 0926-6690
390. Bisio, A., Fraternali, D., Schito, A.M., Parricchi, A., Dal Piaz, F., Ricci, D., Giacomini, M., Ruffoni, B., De Tommasi, N. (2016). Establishment and analysis of in vitro biomass from *Salvia corrugata* Vahl. and evaluation of antimicrobial activity. *Phytochemistry*, 122, 276-285.
391. Thaweboon, B., Thaweboon, S. (2016). Inhibitory effect of *Salvia officinalis* L. oil on *Candida* biofilm. In *Advanced Materials, Mechanical and Structural Engineering: Proceedings of the 2nd International Conference of Advanced Materials, Mechanical and Structural Engineering (AMMSE 2015)*, Je-ju Island, South Korea, September 18-20, CRC Press. (1-4). ISBN 978-1-138-02908-8

**Ananga A., Georgiev V., Ochieng J., Phills B., Tsoleva V. (2013): Production of anthocyanins in grape cell cultures: A potential source of raw material for pharmaceutical, food, and cosmetic industries. In: The Mediterranean Genetic Code - Grapevine and Olive, (D. Poljuha and B. Sladonja Eds.), InTech, Croatia, ISBN 980-953-307-597-1, pp. 247-287.**

#### ЦИТИРАНА В:

392. Kuhn, N., Guan, L., Dai, Z. W., Wu, B. H., Lauvergeat, V., Gomès, E Li, S.-H., Godoy, F., Arce-Johnson, P., Delrot, S. (2013). Berry ripening: recently heard through the grapevine. *Journal of Experimental Botany*, ert395. DOI:10.1093/jxb/ert395.
393. AbouZid, S. (2014). Yield improvement strategies for the production of secondary metabolites in plant tissue culture: silymarin from *Silybum marianum* tissue culture. *Natural product research*, DOI:10.1080/14786419.2014.927465.
394. Hiromoto, T., Honjo, E., Noda, N., Tamada, T., Kazuma, K., Suzuki, M., Blaber, M., Kuroki, R. (2015). Structural basis for acceptor-substrate recognition of UDP-glucose: anthocyanidin 3-O-glucosyltransferase from *Clitoria ternatea*. *Protein Science*, 24(3), 395-407.
395. Forni, C., Frattarelli, A., Lentini, A., Beninati, S., Lucioli, S., Caboni, E. (2015). Assessment of the antiproliferative activity on murine melanoma cells of extracts from elicited cell suspensions of strawberry, strawberry tree, blackberry and red raspberry. *Plant Biosystems-An International Journal Dealing with all Aspects of Plant Biology*, (ahead-of-print), 1-7.
396. KŘÍŽOVÁ, H. (2015). Optimalizace podmínek vodné extrakce antokyanů z révových výlisků pro účely ekologického barvení textilií. In *WASTE* (p. 12).
397. Ngamwonglumlert, L., Devahastin, S., Chiewchan, N. (2015). Natural Colorants: Pigment Stability and Extraction Yield Enhancement via Utilization of Appropriate Pretreatment and Extraction Methods. *Critical reviews in food science and nutrition*. DOI:10.1080/10408398.2015.1109498. ISSN: 1040-8398

398. Mangalvedhe, A. A., Danao, M. G. C., Paulsmeyer, M., Rausch, K. D., Singh, V., Juvik, J. A. (2015). Anthocyanin determination in different corn hybrids using near infrared spectroscopy. *ASABE 2015 Annual International Meeting Paper*. 152181716
399. Jaganath, I.B., Zainal, A. (2015). Controlled Environment for Enhanced and Consistent Production of (Poly)Phenols in Specialty Crops. In: *Controlled Environment Agriculture - Production of Specialty Crops Providing Human Health Benefits through Hydroponics*. Nova Publisher, pp 1-32, ISBN: 978-1-63484-489-5
400. He, Q., Zhang, Z., Zhang, L. (2015). Anthocyanin Accumulation, Antioxidant Ability and Stability, and a Transcriptional Analysis of Anthocyanin Biosynthesis in Purple Heading Chinese Cabbage (*Brassica rapa* L. ssp. *pekinensis*). *Journal of agricultural and food chemistry*. 64 (1), 132–145
401. Idárraga Vélez, Á.M. (2015). Producción de biomoléculas con aplicaciones cosméticas a partir de residuos de frutas. *Dissertation, Universidad Nacional de Colombia-Sede Manizales*. Universidad Nacional de Colombia Facultad de Ingeniería y Arquitectura, Departamento de Ingeniería Química Manizales, Colombia. <http://www.bdigital.unal.edu.co/50843/>
402. Chu, B.S., Wilkin, J.D., House, M., Roleska, M., Lemos, A. (2016). Effect of sucrose on thermal and pH stability of *Clitoria ternatea* extract. *International Journal of Food Processing Technology*. 3(1), 11-17.
403. Dumbrava, A., Lungu, J., Ion, A., (2016). Green seaweeds extract as co-sensitizer for dye sensitized solar cells. *Scientific Study & Research. Chemistry & Chemical Engineering, Biotechnology, Food Industry*, 17(1), 13-25.
404. Kan, V., Kakehi, Y., Vargo, E., Machover, N., Pan, S., Chen, W., Ishii, H. (2016). Organic Primitives: Synthesis & Design of pH-Reactive Material Interfaces Materials with Organic Molecules for Biocompatible I/O. *ArXiv: Human-Computer Interaction*. eprint arXiv:1605.01148.

**Ananga, A., Georgiev, V., Tsoleva, V. (2013). Manipulation and engineering of metabolic and biosynthetic pathway of plant polyphenols. *Current pharmaceutical design*, 19(34), 6186-6206.**

#### ЦИТИРАНА В:

405. Taqui, S. U. (2014). Fractionation of hydro-ethanolic extracts from grape pomace through membrane processing: the effect of membrane and extracting media on process performance. *Dissertation for obtaining the Erasmus Mundus Master degree in Membrane Engineering. Universidade Nova De Lisboa, Lisboa, Portugal*.
406. Zhang, B., Cai, J., Duan, C. Q., Reeves, M. J., He, F. (2015). A Review of Polyphenolics in Oak Woods. *International journal of molecular sciences*, 16(4), 6978-7014. ISSN 1422-0067
407. Al-Dujaili, E. A. (2015). The Effect of Dark Grape Juice Consumption on Exercise-Induced Oxidative Stress in Healthy Adults Aged 41 to 60 Years. *EC Nutrition*, 1, 217-228.
408. Giovinazzo, G., Grieco, F. (2015). Functional Properties of Grape and Wine Polyphenols. *Plant Foods for Human Nutrition*, 70(4), 454-462. ISSN: 0921-9668
409. Srivastava, N., Singh, B. N., Srivastava, A., Khan, A. R., Srivastava, S., Sharma, A., Rawat, A. K. S. (2015). Evaluation of Phenolic Content Recoveries in Hydrolyzed Extracts of *Bergenia ciliata* Using RP-HPLC, GC-MS after Silylation, and Validation through Antioxidant Potential. *Journal of Liquid Chromatography & Related Technologies*, 38(19), 1722-1730. ISSN: 1082-6076
410. Asogan, M.V., Aupati, V.R. (2016). Discovery of synthetic bioactive flavonoid derivatives as potential antidiabetic agents. *Der Pharma Chemica*, 8(1):152-168

411. Nardoia, M. (2016). Effect of dietary polyphenol-rich grape by-products on growth performance, some physiological parameters, meat and meat products quality in chickens. *Dottorato di ricerca internazionale in Benessere, biotecnologia e qualità delle produzioni animali - Welfare, biotechnology and quality of animal productions*. Università degli studi del Molise, Spain. <http://road.unimol.it/handle/2192/328>

**Georgiev, V., Ananga, A., Tsoлова, V. (2014). Recent Advances and Uses of Grape Flavonoids as Nutraceuticals. *Nutrients*, 6(1), 391-415..**

**ЦИТИРАНА В:**

412. Benouaret, R., Goujon, E., Trivella, A., Richard, C., Ledoigt, G., Joubert, J. M., Mery-Bernardon, A. & Goupil, P. (2014). Water extracts from winery by-products as tobacco defense inducers. *Ecotoxicology*, 23(8), 1574-1581.
413. Colombo, M. L., Falcicola, C., Maffè, S., & Davanzo, F. (2014). Beneficial properties of plants and their derived extracts on the cardiovascular system. *Nutrafoods*, DOI: 10.1007/s13749-014-0046-x.
414. Lunardi, R. F., Wohlenberg, M., Medeiros, N., Agostini, F., Funchal, C., & Dani, C. (2014). In vitro antioxidant capacity of tea of *Echinodorus grandiflorus*, "leather hat," in Wistar rat liver. *Anais da Academia Brasileira de Ciências*, (AHEAD), 86(3), 1451-1461.
415. Senguttuvan, J. (2014). In vitro Propagation and Evaluation of Antioxidant Properties of the Medicinal Plant Species, *Hypochaeris radicata* L.(Asteraceae) Distributed in Nilgiris, the Western Ghats. *Asian Journal of Biomedical and Pharmaceutical Sciences*, 4(31), 29-37.
416. Jamuna, S., Paulsamy S. (2014). In vitro Propagation and Evaluation of Antioxidant Properties of the Medicinal Plant Species, *Hypochaeris radicata* L.(Asteraceae) Distributed in Nilgiris, the Western Ghats. *Asian Journal of Biomedical and Pharmaceutical Sciences*, 4(31), 29-37.
417. Avalos, A. M., Torres, C. L., Rodríguez, C. N., Vásquez, C. B. B. (2014). Evaluación del daño de ADN de linfocitos humanos expuestos a cipermetrina y extracto etanólico de semillas de *Vitis vinifera* L.(Vitaceae) "uva". *Arnaldoa* 21 (1): 241 – 250. ISSN: 1815-8242
418. Li, S. S., Wu, J., Chen, L. G., Du, H., Xu, Y. J., Wang, L. J., Zhang, H.J., Zheng, X.C., Wang, L. S. (2014). Biogenesis of C-glycosyl flavones and profiling of flavonoid glycosides in lotus (*Nelumbo nucifera*). *PLOS One*, DOI: 10.1371/journal.pone.0108860
419. Winkler, A., Weber, F., Ringseis, R., Eder, K., Dusel, G. (2015). Determination of polyphenol and crude nutrient content and nutrient digestibility of dried and ensiled white and red grape pomace cultivars. *Archives of animal nutrition*, (ahead-of-print), 1-14.
420. Bisignano, C., Angela, F., Giuseppina, M., Michele, N. (2015). Effect of a white grape (*Vitis vinifera* L.) juice extract on the growth and biofilm production of methicillin-resistant and-sensitive *Staphylococcus* species. *Clinical Microbiology & Case Reports*, 1(2): 016. ISSN: 2369-2111
421. Zhou, Z., Luo, J., Wang, J., Li, L., Kong, L. (2015). Simultaneous enrichment and separation of flavonoids from *Herba Epimedii* by macroporous resins coupled with preparative chromatographic method. *Natural product research*, 29(2), 185-188.
422. Olodade, Z.S., Fakankun, O.A., Alao, F. O., Udi, O. U. (2014). *Ocimum Basilicum* Var. *Purpureum* Floral Essential Oil: Phytochemicals, Phenolic Content, Antioxidant, Freeradicalscavenging, Antimicrobial Potentials. *Global Journal of Science Frontier Research*, 14(7). ISSN: 0975-5896
423. Genova, G., Tosetti, R., Tonutti, P. (2015). Berry ripening, pre-processing and thermal treatments affect the phenolic composition and antioxidant capacity of grape (*Vitis vinifera* L.) juice. *Journal of the Science of Food and Agriculture*. DOI: 10.1002/jsfa.7138



424. Tauchen, J., Marsik, P., Kvasnicova, M., Maghradze, D., Kokoska, L., Vanek, T., Landa, P. (2015). In vitro antioxidant activity and phenolic composition of Georgian, Central and West European wines. *Journal of Food Composition and Analysis*, 41, 113-121.
425. Matic, S., Stanić, S., Mihailović, M., Bogojević, D. (2015). *Cotinus coggygia* Scop.: An overview of its Chemical Constituents, Pharmacological and Toxicological Potential. *Saudi Journal of Biological Sciences*, <http://dx.doi.org/10.1016/j.sjbs.2015.05.012>
426. Khymenets, O., Andres-Lacueva, C., Urpi-Sarda, M., Vazquez-Fresno, R., Mart, M. M., Reglero, G., Torres, M., Llorach, R. (2015). Metabolic fingerprint after acute and under sustained consumption of a functional beverage based on grape skin extract in healthy human subjects. *Food & function*, 6(4), 1288-1298.
427. Ahmed, H. H., Salem, A. M., Mohamed, M. R., Shahat, A. A., Khalil, W. K., Mohamed, S. H. (2014). Experimental evidences for the promising therapeutic role of *Vitis vinifera* seed extract against nonalcoholic steatohepatitis. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(2): 417-424. ISSN- 0975-1491
428. Etxeberria, U., Arias, N., Boqué, N., Romo-Hualde, A., Macarulla, M. T., Portillo, M. P., Milagro, F., Martinez, J. A. (2015). Metabolic faecal fingerprinting of trans-resveratrol and quercetin on high-fat sucrose dietary model using liquid chromatography coupled to high-resolution mass spectrometry. *Food & Function*. DOI: 10.1039/C5FO00473J
429. Al-Dujaili, E. A. (2015). The Effect of Dark Grape Juice Consumption on Exercise-Induced Oxidative Stress in Healthy Adults Aged 41 to 60 Years. *EC Nutrition*, 1, 217-228.
430. Banc, R., Socaciu, C., Miere, D., Filip, L., Cozma, A., Stanciu, O., Loghin, F. (2014). Benefits of Wine Polyphenols on Human Health: A Review. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca. Food Science and Technology*, 71(2), 79-87.
431. Van Thai, H., Kim, E., Kim, S. C., Jeong, D., Yang, S., Baek, K. S., Kim, Y., Ratan, Z.A., Yoon, K.D., Kim, J.H., Cho, J. Y. (2015). *Boerhavia diffusa* L. ethanol extract suppresses inflammatory responses via inhibition of Src/Syk/TRAF6. *Journal of Functional Foods*, 17, 476-490.
432. Holzhauser, P., Koula-Jenik, H., Pempelfort, K., Schneider, B. (2015). Prophylaxe der Chemotherapie-assoziierten oralen Mukositis mit einer Mundspül-Lösung aus Traubenkernextrakt (OPC). *Deutsche Zeitschrift für Onkologie*, 47: 36-40
433. Rodrigues da Silva, L., Martins, L. D. V., Bantim Felicio Calou, I., Meireles de Deus, M. D. S., Ferreira, P. M. P., Peron, A. P. (2015). Flavonóides: constituição química, ações medicinais e potencial tóxico. *Acta Toxicológica Argentina*, 23(1): 36-43.
434. Kabir, F., Sultana, M. S., Kurnianta, H. (2015). Antimicrobial activities of grape (*Vitis vinifera* L.) pomace polyphenols as a source of naturally occurring bioactive components. *African Journal of Biotechnology*, 14(26): 2157-2161.
435. Velliquette, R. A., Grann, K., Missler, S. R., Patterson, J., Hu, C., Gellenbeck, K. W., Scholten, J.D., Randolph, R. K. (2015). Identification of a botanical inhibitor of intestinal diacylglyceride acyltransferase 1 activity via in vitro screening and a parallel, randomized, blinded, placebo-controlled clinical trial. *Nutrition & metabolism*, 12(1), 1. ISSN: 1743-7075
436. Asuk, A. A., Agiang, M. A., Dasofunjo, K., Willie, A. J. (2015). The biomedical significance of the phytochemical, proximate and mineral compositions of the leaf, stem bark and root of *Jatropha curcas*. *Asian Pacific Journal of Tropical Biomedicine*, 5(8), 650-657. ISSN: 2221-1691
437. Johnston, G. A. (2015). Flavonoid nutraceuticals and ionotropic receptors for the inhibitory neurotransmitter GABA. *Neurochemistry international*, 89, 120-125. ISSN: 0197-0186
438. Du, X., Hill, R. A. (2015). 7, 8-Dihydroxyflavone as a pro-neurotrophic treatment for neurodevelopmental disorders. *Neurochemistry international*, 89, 170-180. ISSN: 0197-0186

439. Soto, M. L., Falqué, E., Domínguez, H. (2015). Relevance of natural phenolics from grape and derivative products in the formulation of cosmetics. *Cosmetics*, 2(3), 259-276. ISSN 2079-9284
440. Nowshetri, J. A., Bhat, Z. A., Shah, M. Y. (2015). Blessings in disguise: Bio-functional benefits of grape seed extracts. *Food Research International*, 77, 333-348. ISSN: 0963-9969
441. Bailão, E. F. L. C., Devilla, I. A., da Conceição, E. C., Borges, L. L. (2015). Bioactive Compounds Found in Brazilian Cerrado Fruits. *International journal of molecular sciences*, 16(10), 23760-23783. ISSN 1422-0067
442. Patel, A. K., Davis, A., Rodriguez, M. E., Agron, S., & Hackam, A. S. (2015). Protective effects of a grape-supplemented diet in a mouse model of retinal degeneration. *Nutrition*. ISSN: 0899-9007
443. Giovinazzo, G., Grieco, F. (2015). Functional Properties of Grape and Wine Polyphenols. *Plant Foods for Human Nutrition*, 70(4), 454-462. ISSN: 0921-9668
444. Tavares, R., Toscano, L. T., Biasoto, A. C., Silva, A. S. (2015). Potential ergogenic activity of grape juice in runners. *Appl. Physiol. Nutr. Metab.* 40: 899–906 [dx.doi.org/10.1139/apnm-2015-0152](http://dx.doi.org/10.1139/apnm-2015-0152). ISSN: 1715-5320
445. Yadav, D., Kumar, A., Kumar, P., Mishra, D. (2015). Antimicrobial properties of black grape (*Vitis vinifera* L.) peel extracts against antibiotic-resistant pathogenic bacteria and toxin producing molds. *Indian Journal of Pharmacology*, 47(6), 663. ISSN 0253-7613
446. Kontoghiorghis, C. N., Kolnagou, A., & Kontoghiorghis, G. J. (2015). Phytochelators Intended for Clinical Use in Iron Overload, Other Diseases of Iron Imbalance and Free Radical Pathology. *Molecules*, 20(11), 20841-20872. ISSN 1420-3049
447. Καμαρινού, Χ., & Μητροπούλου, Α. (2015). Έλεγχος αντιμικροβιακής δραστηριότητας και προσδιορισμός ελάχιστων ανασταλτικών συγκεντρώσεων επιλεγμένων φυτικών εκχυλισμάτων έναντι τροφιμογενών βακτηρίων. bachelorThesis <http://hellanicus.lib.aegean.gr/handle/11610/15635>
448. Filocamo, A., Bisignano, C., Mandalari, G., Navarra, M. (2015). In Vitro Antimicrobial Activity and Effect on Biofilm Production of a White Grape Juice (*Vitis vinifera*) Extract. *Evidence-Based Complementary and Alternative Medicine*. ISSN: 1741-427X
449. Gomaa, N. H., Hassan, M. O., Fahmy, G. M., González, L., Hammouda, O., Atteya, A. M. (2015). Flavonoid profiling and nodulation of some legumes in response to the allelopathic stress of *Sonchus oleraceus* L. *Acta Botanica Brasilica*, 29(4), 553-560. ISSN 1677-941X
450. Wang, S., Mateos, R., Goya, L., Amigo-Benavent, M., Sarriá, B., & Bravo, L. (2015). A phenolic extract from grape byproducts and its main hydroxybenzoic acids protect Caco-2 cells against pro-oxidant induced toxicity. *Food and Chemical Toxicology*. ISSN: 0278-6915
451. Nardoia, M. (2016). Effect of dietary polyphenol-rich grape by-products on growth performance, some physiological parameters, meat and meat products quality in chickens. *Dottorato di ricerca internazionale in Benessere, biotecnologia e qualità delle produzioni animali - Welfare, biotechnology and quality of animal productions*. Università degli studi del Molise, Spain. <http://road.unimol.it/handle/2192/328>
452. Brenes, A., Viveros, A., Chamorro, S., Arija, I. (2016). Use of polyphenol-rich grape by-products in monogastric nutrition. A review. *Animal Feed Science and Technology*, 211, 1-17.
453. del Mar Naval, M., Gil-Muñoz, F., Lloret, A., Besada, C., Salvador, A., Badenes, M.L., Ríos, G. (2016). A WD40-repeat protein from persimmon interacts with the regulators of proanthocyanidin biosynthesis DkMYB2 and DkMYB4. *Tree Genetics & Genomes*, 12(1), 1-11.

454. Guo, H., Ren, F., Zhang, L., Zhang, X., Yang, R., Xie, B., Li, Z., Hu, Z., Duan, Z., Zhang, J. (2016). Kaempferol induces apoptosis in HepG2 cells via activation of the endoplasmic reticulum stress pathway. *Molecular medicine reports*, 13(3), 2791-2800.
455. Pasha, S., (2016). Evaluation of antistress activity of vitis vinifera and cichorium intybus in albino rats and albino mice. PhD Thesis, *Jawaharlal Nehru Technological University, Anantapuram, Department of Pharmaceutical Sciences, India.* <http://ir.inflibnet.ac.in:8080/jspui/handle/10603/73485>
456. Corredor, Z., Rodríguez-Ribera, L., Coll, E., Montañés, R., Diaz, J.M., Ballarin, J., Marcos, R., Pastor, S. (2016). Unfermented grape juice reduce genomic damage on patients undergoing hemodialysis. *Food and Chemical Toxicology*, 92, 1-7.
457. Wang, H., Wang, W., Zhan, J., Yan, A., Sun, L., Zhang, G., Wang, X., Ren, J., Huang, W., Xu, H. (2016). The accumulation and localization of chalcone synthase in grapevine (*Vitis vinifera* L.). *Plant Physiology and Biochemistry*, 106, 165-176.
458. Xiang, L., Cao, X.L., Xing, T.Y., Mori, D., Tang, R.Q., Li, J., Gao, L.J., Qi, J.H. (2016). Mixture of Peanut Skin Extract and Fish Oil Improves Memory in Mice via Modulation of Anti-Oxidative Stress and Regulation of BDNF/ERK/CREB Signaling Pathways. *Nutrients*, 8(5), 256.
459. Mendes Lopes, M.L., Miguel, M.A.L., Fialho, E., Valente-Mesquita, V.L. (2016). Grape juice obtained using steam extraction and other small-scale extraction methods: phenolic content, antioxidant capacity and stability during storage. *International Journal of Food Science & Technology*. DOI: 10.1111/ijfs.13144
460. Maher, P. (2016). Grapes and the Brain. In *Grapes and Health* Editor John M. Pezzuto. Springer International Publishing, Switzerland, (pp. 139-161). ISBN: 978-3-319-28993-9

**Ivanov, I. G., Vrancheva, R. Z., Marchev, A. S., Petkova, N. T., Aneva, I. Y., Denev, P. P., Georgiev, V., Pavlov, A. I. (2014). Antioxidant activities and phenolic compounds in Bulgarian *Fumaria* species. *Int. J. Curr. Microbiol. App. Sci*, 3(2), 296-306**

#### ЦИТИРАНА В:

461. Srivastava, S., Choudhary, G. P. (2014). Pharmacognostic and pharmacological study of *Fumaria vaillantii* Loisel: a review. *Journal of Pharmacognosy and Phytochemistry*, 3(1), 194-197.
462. Chanaj-Kaczmarek, J., Wysocki, M., Karachitos, A., Wojcińska, M., Bartosz, G., Matławska, I., Kmita, H. (2015). Effects of plant extract antioxidative phenolic compounds on energetic status and viability of *Saccharomyces cerevisiae* cells undergoing oxidative stress. *Journal of Functional Foods*, 16, 364-377.
463. Mabrouki, L., Zougari, B., Bendhifi, M., Borgi, M. A. (2015). Evaluation of antioxidant capacity, phenol and flavonoid contents of *Opuntia streptacantha* and *Opuntia ficus indica* fruits pulp. *Nature & Technology*, (13), 2. ISSN 2437-0312
464. Brkljača, R., White, J. M., & Urban, S. (2015). Phytochemical Investigation of the Constituents Derived from the Australian Plant *Macropidia fuliginosa*. *Journal of natural products*, 78(7), 1600-1608. ISSN: 0163-3864
465. Teneva-Angelova, T., Beshkova, D. (2015). Resistance profile of plant-derived lactic acid bacteria against herb extracts. *Scientific Bulletin. Series F. Biotechnologies*, 19, 109-116. ISSN 2285-1364
466. Deliorman Orhan, D., Hartevioğlu, A., Orhan, N., Berkkan, A., Gökbulut, A., Günhan, Ö., Pekcan, M. (2015). Subacute Effects of Standardized *Fumaria Vaillantii* Lois. Ethanol Extract on Trace Element Levels, Biochemical and Histopathological Parameters in

Experimental Liver Toxicity. *Journal of Food Biochemistry*. DOI: 10.1111/jfbc.12208. ISSN: 1745-4514

467. Prokopov, T., Goranova, Z., Baeva, M., Slavov, A., Galanakis, C. M. (2015). Effects of powder from white cabbage outer leaves on sponge cake quality. *International Agrophysics*, 29(4), 493-500. ISSN: 2300-8725
468. Tabrizi, F.H.A., Irian, S., Amanzadeh, A., Heidarnejad, F., Gudarzi, H., Salimi, M. (2016). Anti-proliferative activity of *Fumaria vaillantii* extracts on different cancer cell lines. *Research in Pharmaceutical Sciences*, 11(2), 152.
469. Popova, A., Dalemska, Z., Mihaylova, D., Hristova, I., Alexieva, I. (2016). Melissa officinalis L.-GC Profile and Antioxidant Activity. *International Journal of Pharmacognosy and Phytochemical Research*. 8(4); 634-638
470. Izambaeva, A., Bozadjiev, B., Gogova, T., Durakova, A., Dessev, T., Koleva, A., Krasteva, A. (2016). Chemico-technological characteristics and antioxidant activity of wholemeal einkorn flour and bread. *Bulgarian Journal of Agricultural Science*, 22(2), 331-338.

**Berkov, S., Ivanov, I., Georgiev, V., Codina, C., Pavlov, A. (2014). Galanthamine biosynthesis in plant in vitro systems. *Engineering in Life Sciences*, 14(6), 643-650**

#### ЦИТИРАНА В:

471. Saliba, S., Ptak, A., Laurain-Mattar, D. (2015). 4'-O-methylnorbelladine feeding enhances galanthamine and lycorine production by *Leucojum aestivum* L. shoot cultures. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201500008.
472. Nugent, J., Matoušová, E., Banwell, M. G. (2015). A Total Synthesis of Galanthamine Involving De Novo Construction of the Aromatic C-Ring. *European Journal of Organic Chemistry*, (17): 3771–3778.
473. Abeli, T., Cauzzi, P., Rossi, G., Adorni, M., Vagge, I., Parolo, G., Orsenigo, S. (2015). Restoring population structure and dynamics in translocated species: learning from wild populations. *Plant Ecology*, 1-10. ISSN: 1385-0237
474. Banwell M.G., Buckler J.N., Jackson C.J., Lan P., Ma X., Matoušová E., Nugent J. (2015). Devising New Syntheses of the Alkaloid Galanthamine, a Potent and Clinically Deployed Inhibitor of Acetylcholine Esterase, In: Michael Harmata, Editor(s), *Strategies and Tactics in Organic Synthesis*, Academic Press, 2015, Volume 11, Pages 29-50, ISSN 1874-6004, ISBN 9780081000236.
475. Saliba, S., Ptak, A., Boisbrun, M., Spina, R., Dupire, F., Laurain-Mattar, D. (2016). Stimulating effect of both 4'-O-methylnorbelladine feeding and temporary immersion conditions on galanthamine and lycorine production by *Leucojum aestivum* L. bulblets. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201600045

**Georgiev, V., Schumann, A., Pavlov, A., & Bley, T. (2014). Temporary immersion systems in plant biotechnology. *Engineering in Life Sciences*, 14(6), 607-621.**

#### ЦИТИРАНА В:

476. Saliba, S., Ptak, A., Laurain-Mattar, D. (2015). 4'-O-methylnorbelladine feeding enhances galanthamine and lycorine production by *Leucojum aestivum* L. shoot cultures. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201500008.

477. Vilchez, J., Albany, N. (2015). Determinación de parámetros de cultivo en la germinación de embriones somáticos de *Psidium guajava* L. en sistemas de inmersión temporal de tipo RITA®. *Revista de la Facultad de Agronomía*, 32(2). ISSN: 0378-7818.
478. de Vilchez, A., Rosa, N., Vilchez Perozo, J. A., León de Sierralta, S., Nava Ferreira, A. R., Martínez Ferrer, L. J., Molina Pulgar, M. Á. (2015). Liquid medium culture: an approach for the commercial micropropagation of aloe (*Aloe barbadensis* Mill.). *Revista Colombiana de Biotecnología*, 17(1), 24-31. ISSN 0123-3475
479. Jeong, B. R., Sivanesan, I. Micropropagation, berberine content and antitumor activity of *Jeffersonia dubia* (Maxim.) Benth et Hook. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 1-6. ISSN: 0167-6857
480. Fei, L., Weathers, P. (2015). From leaf explants to hanging rooted plantlets in a mist reactor. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 1-10. ISSN: 0167-6857
481. Quiala, E., Barbón, R., Capote, A., Pérez, N., Jiménez, E. (2016). In Vitro Mass Propagation of *Cymbopogon citratus* Stapf., a Medicinal Gramineae. In *Protocols for In Vitro Cultures and Secondary Metabolite Analysis of Aromatic and Medicinal Plants*, Second Edition, Humana Press, 445-457. ISBN: 978-1-4939-3330-3
482. Pérez-Alonso, N., Chong-Pérez, B., Capote, A., Pérez, A., Gerth, A., Angenon, G. and Jiménez, E., 2016. Biotechnological Approaches for Biomass and Cardenolide Production in *Digitalis purpurea* L. In *Protocols for In Vitro Cultures and Secondary Metabolite Analysis of Aromatic and Medicinal Plants*, Second Edition, Humana Press, 81-102. ISBN: 978-1-4939-3330-3.
483. Saliba, S., Ptak, A., Boisbrun, M., Spina, R., Dupire, F., Laurain-Mattar, D. (2016). Stimulating effect of both 4'-O-methylnorbeldadine feeding and temporary immersion conditions on galanthamine and lycorine production by *Leucojum aestivum* L. bulblets. *Engineering in Life Sciences*. DOI: 10.1002/elsc.201600045
484. Gomes, H.T., Bartos, P.M.C., Balzon, T.A., Scherwinski-Pereira, J.E. (2016). Regeneration of somatic embryos of oil palm (*Elaeis guineensis*) using temporary immersion bioreactors. *Industrial Crops and Products*, 89, 244-249.

**Hall, J., Ananga, A., Georgiev, V., Ochieng, J., Cebert, E., & Tsoleva, V. (2015). Molecular Cloning, Characterization, and Expression Analysis of Flavanone 3-Hydroxylase (F3H) Gene during Muscadine Grape Berry Development. *J Biotechnol Biomater*, 5(180), 2.**

#### ЦИТИРАНА В:

485. Song, X., Diao, J., Ji, J., Wang, G., Guan, C., Jin, C., & Wang, Y. (2016). Molecular cloning and identification of a flavanone 3-hydroxylase gene from *Lycium chinense*, and its overexpression enhances drought stress in tobacco. *Plant Physiology and Biochemistry*, 98, 89-100.

**Общ брой цитирания: 485**

Пловдив,  
2016 г.

гл. ас., инж., д-р Васил Георгиев